

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- edited with XMLSPY v5 (http://www.xmlspy.com) by Patrick Halley (ComCARE Alliance) -->
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Patricia Bluhm (HBF Group) -->
<!-- W3C Schema generated by XML Spy v4.4 U (http://www.xmlspy.com)-->
<xs:schema targetNamespace="http://www.comcare.org/schemas/vei"
xmlns="http://www.comcare.org/schemas/vei" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="VehicularEmergencyIncident" type="VehicularEmergencyIncidentType"/>
  <xs:complexType name="VehicularEmergencyIncidentType">
    <xs:sequence>
      <xs:element name="DataSource" type="DataSourceType">
        <xs:annotation>
          <xs:documentation>All information in this section contains identification information on the
specific entity providing data about the incident.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="IncidentData" type="IncidentDataType">
        <xs:annotation>
          <xs:documentation>All information in this section contains basic incident identification
information.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="AgencyNotified" type="AirbagDeployedType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>All information in this section contains identification information on the
agency notified by voice by the incident originator.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="AutomatedIncidentData" type="AutomatedIncidentDataType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>All information in this section is assumed to be data that is automatically
generated by the incident originator.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="PostCrashOnSceneData" type="PostCrashOnSceneDataType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>All information in this section is
assumed to be gathered by inquiries of the incident originator or agencies on the scene responding to the incident.
Therefore, it is assumed that none of this information could be automatically known by the incident
originator.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="PersonalMedicalData" type="PersonalMedicalDataType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>All information in this section is assumed to be previously known and
stored by the incident originator or a third party provider. Some of the data may overlap with information collected
on-scene by responding agencies.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="OpenComment" type="OpenCommentType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Open text field for general comments related to any section of the
document.</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="AgencyNotifiedType">
    <xs:sequence>
      <xs:element name="Name" type="NameType">
        <xs:annotation>
          <xs:documentation>Name of agency notified by voice by incident originator.
</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="ReferenceNbr" type="ReferenceNbrType" minOccurs="0">
        <xs:annotation>

```

```

        <xs:documentation>Reference number or name of individual at agency who received call from
incident originator.</xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="TN" type="TNType" minOccurs="0">
    <xs:annotation>
        <xs:documentation>7 X 24 telephone number called to contact agency.</xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="Address" type="NameType" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Address of agency that took the call of the incident
originator.</xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="ContactTime" type="xs:time" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Time the notified agency was first contacted by incident
originator.</xs:documentation>
    </xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="AirbagDeployedType">
    <xs:sequence>
        <xs:element name="Location" type="LocationType" maxOccurs="4">
            <xs:annotation>
                <xs:documentation>Indicates the unique airbag(s) that has deployed, including information on
the airbag deployment stage. Answer should be given as Front, Side, Curtain, or Roof. Multiple answers are
allowed.</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="AutomatedIncidentDataType">
    <xs:sequence>
        <xs:element name="VehicleData" type="VehicleDataType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>All information in this section pertains to the vehicle involved in the
incident.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="CrashData" type="CrashDataType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>All information in this section pertains to crash variables associated with
the vehicle involved in the incident.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="SeatData" type="SeatDataType" minOccurs="0" maxOccurs="8">
            <xs:annotation>
                <xs:documentation>All information in this section pertains to specific variables (e.g. airbag,
seatbelt, etc.) associated with unique seat positions in the vehicle.</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="ContentsType">
    <xs:sequence>
        <xs:element name="Description" type="DescriptionType">
            <xs:annotation>
                <xs:documentation>Indicates contents of vehicle, e.g. propane, radioactive waste, livestock,
etc.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Quantity">
            <xs:annotation>

```

```

        <xs:documentation>Indicates the quantity of the vehicle contents.</xs:documentation>
    </xs:annotation>
    <xs:complexType>
        <xs:simpleContent>
            <xs:restriction base="qtyType">
                <xs:totalDigits value="9"/>
            </xs:restriction>
        </xs:simpleContent>
    </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="CrashDataType">
    <xs:sequence>
        <xs:element name="IgnitionState" type="IgnitionStateType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if vehicle was running or turned off when incident was triggered.
Answer should be given as on or off.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="DeltaVelocity" type="DeltaVelocityType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates the force of impact based on the change in velocity over the
duration of the crash pulse (measured in units of 0-999 kph)</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Pulse" type="PulseType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Header for crash pulse data. Crash pulse indicates the G forces involved
in the crash in three dimensions over time using crash sensors.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="PDOF" type="PDOFType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates Principal direction of the force of the impact to nearest O'Clock
Reading (valid numbers are integers 1 through 12, where 12 O'Clock corresponds to a frontal collision, 3 O'Clock
corresponds to a passenger side (right side) collision, etc.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Heading" type="HeadingType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates direction vehicle was heading directly before crash (measured in
degrees (0-359))</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Rollover" type="xs:boolean" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle rolled at any point during the crash greater than 35
degrees. Answer should be given as true or false.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Orient" type="OrientType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates orientation of vehicle at final rest. 0= Normal; 1= Driver; 2=
Passenger; 3= Roof, 4= Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Fire" type="xs:boolean" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if any part of the vehicle is on fire. Answer should be given as
true or false.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="DigitalLocation" type="xs:anyURI" minOccurs="0">
            <xs:annotation>

```

```

        <xs:documentation>Indicates electronic address (For Example: url, ftp, etc.) where digital
image is available, if image of incident was taken.</xs:documentation>
    </xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="DataSourceType">
    <xs:sequence>
        <xs:element name="Type" type="TypeType">
            <xs:annotation>
                <xs:documentation>Indicates the type of data source. 0=Telematics Service Provider (TSP);
1=Roadside Assistance Provider; 2=Commercial Vehicle Operator (CVO); 3=Public Safety Answering
Point(PSAP); 4=Public Safety Agency</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="IncidentOriginator" type="xs:boolean">
            <xs:annotation>
                <xs:documentation>Indicates if source providing data is the originator of the incident.
            </xs:documentation>
        </xs:annotation>
        </xs:element>
        <xs:element name="ProviderName" type="NameType">
            <xs:annotation>
                <xs:documentation>Name of the company or agency providing data.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="IncidentID" type="IncidentIDType">
            <xs:annotation>
                <xs:documentation>Indicates the internal case number of the incident used by the incident
originator.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="CallBackNbr" type="TNType">
            <xs:annotation>
                <xs:documentation>Incident originator 7x24 call back number of incident
originator.</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="DriversLicenseType">
    <xs:sequence>
        <xs:element name="Number" type="DLNumberType">
            <xs:annotation>
                <xs:documentation>Indicates drivers license number of passenger. </xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="StateProvince" type="StateProvinceType">
            <xs:annotation>
                <xs:documentation>Indicates the license state/province of issue of passenger.
            </xs:documentation>
        </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:sequence>
</xs:complexType>
<xs:complexType name="EmergencyContactType">
    <xs:sequence>
        <xs:element name="Name" type="NameType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates name of emergency contact. </xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="TN" type="TNType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates primary phone number of emergency contact.
            </xs:documentation>
        </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:sequence>
</xs:complexType>

```

```

        </xs:annotation>
      </xs:element>
      <xs:element name="AltTN" type="TNType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates alternate phone number of emergency
contact.</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="IncidentDataType">
    <xs:sequence>
      <xs:element name="EventVerified" type="xs:boolean">
        <xs:annotation>
          <xs:documentation>Indicates that there was a verbal confirmation of the event by the incident
originator and a PSAP or other public safety agency.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="IncidentDate" type="xs:date">
        <xs:annotation>
          <xs:documentation>Date of the incident.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="ReceivedTime" type="xs:time">
        <xs:annotation>
          <xs:documentation>Time Lat/Long is received by the incident originator.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="IncidentTime" type="xs:time" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Time of the event which triggered the emergency call (applicable only if
substantially earlier than time received by incident originator)</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Latitude" type="LatitudeType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Latitudinal coordinate of the incident site in degrees (-90° to
+90°)</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Longitude" type="LongitudeType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Longitudinal coordinate of the incident site in degrees (0 to
360°)</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="NAD" type="NADType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Specifies the map projection and coordinate system recommended for the
display of the Longitude and Latitude coordinates. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Confidence" type="ConfidenceType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates the level of uncertainty inherent in the associated
latitude/longitude information expressed in meters, ranging from one meter to 1800 km, expressed in
meters.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="ConfidencePercentage" type="ConfidencePercentageType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates the confidence by which it is known that the calling party lies
within the associated shape description. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="LocationTime" type="xs:time" minOccurs="0">

```

```

        <xs:annotation>
            <xs:documentation>Time of position determination by the incident originator. (applicable only
if location time is not current)</xs:documentation>
        </xs:annotation>
    </xs:element>
    <xs:element name="LocationDescription" type="NameType" minOccurs="0">
        <xs:annotation>
            <xs:documentation>Closest street address/intersection, nearby point of interest or business
reference to the incident site.</xs:documentation>
        </xs:annotation>
    </xs:element>
    <xs:element name="DeviceEventType" type="DeviceEventTypeType">
        <xs:annotation>
            <xs:documentation>Type of device that caused event notification to occur. 0= ACN-Airbag; 1=
ACN- Seatbelt Tensioner; 2= ACN-Vehicle Accelerometers; 3= SOS/Emergency Button; 4= Geo-
fence Violation </xs:documentation>
        </xs:annotation>
    </xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="LocationType">
    <xs:simpleContent>
        <xs:extension base="AirbagType">
            <xs:attribute name="NbrPossibleStages" type="StageType" use="optional"/>
            <xs:attribute name="StageDeployed" type="StageType" use="optional"/>
        </xs:extension>
    </xs:simpleContent>
</xs:complexType>
<xs:complexType name="OccupantType">
    <xs:sequence>
        <xs:element name="Name" type="NameType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates the name of the vehicle occupant. </xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Age" type="AgeType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates the age of the vehicle occupant. </xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Gender" type="GenderType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates the gender of the vehicle occupant. M= Male; F= Female; U=
Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Conscious" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle occupant is conscious. N= No; Y= Yes; U=
Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Breathing" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle occupant is breathing. N= No; Y= Yes; U=
Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Speaking" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle occupant is speaking. N= No; Y= Yes; U=
Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Moving" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>

```

```

                <xs:documentation>Indicates if the vehicle occupant is moving. N= No; Y= Yes; U=
Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Bleeding" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle occupant is bleeding. N= No; Y= Yes; U=
Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Entrapped" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle occupant is entrapped in the vehicle. N= No; Y=
Yes; U= Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Thrown" type="YesNoUnknownType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates if the vehicle occupant was thrown from the vehicle. N= No; Y=
Yes; U= Unknown</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
    <xs:attribute name="id" use="required">
        <xs:simpleType>
            <xs:restriction base="xs:short">
                <xs:totalDigits value="2"/>
                <xs:fractionDigits value="0"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:attribute>
</xs:complexType>
<xs:complexType name="PersonalMedicalDataType">
    <xs:sequence>
        <xs:element name="Subscriber" type="SubscriberType" minOccurs="0" maxOccurs="unbounded">
            <xs:annotation>
                <xs:documentation>Unique identifier for each individual listed under personal medical data
subscription.</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="PostCrashOnSceneDataType">
    <xs:sequence>
        <xs:element name="NbrOccupants" type="NbrOccupantsType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates the number of occupants in the vehicle if
known.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Occupant" type="OccupantType" minOccurs="0" maxOccurs="unbounded">
            <xs:annotation>
                <xs:documentation>Unique identifier for each vehicle occupant. </xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="PrimaryCarePhyType">
    <xs:sequence>
        <xs:element name="Name" type="NameType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates name of primary care physician.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="TN" type="TNType" minOccurs="0">
            <xs:annotation>

```

```

        <xs:documentation>Indicates telephone number of primary care physician.
</xs:documentation>
    </xs:annotation>
  </xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="PrimaryInsType">
  <xs:sequence>
    <xs:element name="Name" type="NameType">
      <xs:annotation>
        <xs:documentation>Indicates the primary insurance provider of passenger.
</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="PolicyID" type="PolicyIDType">
      <xs:annotation>
        <xs:documentation>Indicates the insurance policy ID number of
passenger.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="TN" type="TNType">
      <xs:annotation>
        <xs:documentation>Indicates the telephone number of the primary insurance provider for
passenger.</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="ProviderType">
  <xs:sequence>
    <xs:element name="Name" type="NameType">
      <xs:annotation>
        <xs:documentation>Indicates the name of the company providing personal medical
data.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="RetrievalMethod" type="RetrievalMethodType" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates method necessary to retrieve additional detailed medical records
(e.g. EKG, MRI, etc). 0= Phone; 1= Fax; 2= Internet; 3= Email; 4= Other</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="TN" type="TNType" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates telephone number of medical data provider.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="Fax" type="TNType" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates fax number of medical data provider. </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="URL" type="xs:anyURI" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates URL of medical data provider. </xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="PulseType">
  <xs:sequence>
    <xs:element name="Duration" type="DurationType">
      <xs:annotation>
        <xs:documentation>Indicates the duration of the crash pulse measured in seconds.
</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```



```

    </xs:element>
    <xs:element name="Location" type="xs:anyURI">
      <xs:annotation>
        <xs:documentation>If available, indicates electronic address (For Example: url, ftp, etc.) where
crash pulse data is available. </xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="SeatType">
  <xs:sequence>
    <xs:element name="AirbagDeployed" type="AirbagDeployedType" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Header for airbag data. Indicates the deployment of an airbag has
occurred. Child element of Seat. </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="BeltMonitored" type="xs:boolean" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates if a seatbelt in individual position is being monitored. Answer
should be given as true or false.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="BeltFastened" type="xs:boolean" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates if a seatbelt is fastened. Answer should be given as true or
false.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="TensionerTriggered" type="xs:boolean" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Indicates if the seat tensioner in individual seat location triggered the ACN
notification. Answer should be given as true or false.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="Occupied" type="xs:boolean" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Using vehicle seat sensor technology, indicates if a seat is occupied.
Answer should be given as true or false.</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
  <xs:attribute name="Position" use="required">
    <xs:simpleType>
      <xs:restriction base="xs:integer">
        <xs:minInclusive value="0"/>
        <xs:maxInclusive value="8"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
<xs:complexType name="SeatDataType">
  <xs:sequence>
    <xs:element name="Seat" type="SeatType" maxOccurs="unbounded">
      <xs:annotation>
        <xs:documentation>Indicates seatbelt and seat sensor data for individual seat positions in the
vehicle</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="SubscriberType">
  <xs:sequence>
    <xs:element name="Provider" type="ProviderType" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Header for Provider information.</xs:documentation>

```

```

        </xs:annotation>
      </xs:element>
      <xs:element name="Update" type="xs:date" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates last known update of personal medical
data.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Name" type="NameType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates the name of the personal medical data subscriber.
</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Age" type="AgeType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates the age of the personal medical data subscriber.
</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Gender" type="GenderType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates the gender of the personal medical data subscriber. M= Male; F=
Female; U=Unknown</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="PrimaryCarePhy" type="PrimaryCarePhyType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Header for primary care physician information. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="EmergencyContact" type="EmergencyContactType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Header for emergency contact information. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="MedicalHistory" type="MedicalDataType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates current medical conditions pertinent to acute medical treatment
of passenger. Open text. (Multiple different medical conditions can be listed for each
occupant)</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Allergies" type="AllergiesType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates medication allergies of passenger. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Meds" type="MedicalDataType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates medications currently being taken by passenger.
</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="BloodType" type="BloodTypeType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates blood type of passenger. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="OrganDonor" type="xs:boolean" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates if passenger is an organ donor. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="PreferredHospital" type="NameType" minOccurs="0">
        <xs:annotation>

```

```

        <xs:documentation>Indicates the name of the preferred hospital for treatment of passenger.
</xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="LivingWill" type="xs:boolean" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Indicates that the presence of a living will or formal end of life document,
such as "do not resuscitate" (DNR) exists for passenger.</xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="DriversLicense" type="DriversLicenseType" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Header for drivers license information. </xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="SSN" type="SSNType" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Indicates the social security number of passenger. </xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="InsuranceProvider" type="PrimaryInsType" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Header for primary insurance provider information. </xs:documentation>
    </xs:annotation>
</xs:element>
</xs:sequence>
<xs:attribute name="id" use="required">
    <xs:simpleType>
        <xs:restriction base="xs:integer">
            <xs:minInclusive value="1"/>
            <xs:maxInclusive value="2"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
<xs:complexType name="VehicleDataType">
    <xs:sequence>
        <xs:element name="BodyType" type="BodyTypeType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates Body Type of Vehicle. 0= Passenger car (Includes all two-axle,
four-tire single unit vehicles); 1= Buses (All vehicles manufactured as traditional passenger-carrying buses with
two axles and six tires or three or more axles); 2= Two-Axle, Six-Tire, Single-Unit Truck (All vehicles on a single
frame including trucks, camping and recreational vehicles, motor homes, etc., with two axles and dual rear
wheels); 3= Three Or More Axle-Single Or Multi Unit Truck (All other trucks larger than two-axle, six-tire, single-
unit trucks)</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="USDOT" type="USDOTType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>USDOT assigned vehicle number (if commercial) </xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Manufacturer" type="VehicleInfoType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates vehicle manufacturer, e.g. General Motors, Ford,
Mercedes</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Make" type="VehicleInfoType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates vehicle make, e.g. Cadillac, Ford, C Class</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="Model" type="VehicleInfoType" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Indicates vehicle model, e.g. Escalade, Taurus, SLK</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>

```

```

        </xs:annotation>
      </xs:element>
      <xs:element name="Year" type="YearType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates vehicle model year, e.g. 2002</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Weight" type="WeightType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates curbside weight of vehicle measured in
kilograms.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Color" type="ColorType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates Color(s) of Vehicle. Open text</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="LicensePlateNumber" type="LicensePlateNumberType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates license plate number of vehicle. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="StateProvince" type="StateProvinceType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates state or province of the vehicle's registration.
</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="VIN" type="VINType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates VIN number of vehicle.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Owner" type="NameType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates name of the registered owner of the vehicle.
</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Hazmat" type="HazmatType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Indicates whether contents of vehicle are hazardous or not if known. 0=
Hazardous Materials; 1= Non-Hazardous Materials; 2= Unknown</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Contents" type="ContentsType" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="qtyType">
    <xs:simpleContent>
      <xs:extension base="xs:byte">
        <xs:attribute name="Measure" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:integer">
              <xs:minInclusive value="0"/>
              <xs:maxInclusive value="2"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
  <xs:simpleType name="AgeType">
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="0"/>
    </xs:restriction>
  </xs:simpleType>

```

```

        <xs:maxInclusive value="150"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="AirbagType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="front"/>
        <xs:enumeration value="side"/>
        <xs:enumeration value="curtain"/>
        <xs:enumeration value="roof"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="AllergiesType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="100"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="BloodTypeType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="15"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="BodyTypeType">
    <xs:restriction base="xs:integer">
        <xs:minInclusive value="0"/>
        <xs:maxInclusive value="3"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ConfidenceType">
    <xs:restriction base="xs:int">
        <xs:totalDigits value="7"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ConfidencePercentageType">
    <xs:restriction base="xs:int">
        <xs:totalDigits value="3"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ColorType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="20"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DescriptionType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="20"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DeltaVelocityType">
    <xs:restriction base="xs:short">
        <xs:totalDigits value="3"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DeviceEventTypeType">
    <xs:restriction base="xs:integer">
        <xs:minInclusive value="0"/>
        <xs:maxInclusive value="4"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DLNumberType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="15"/>
        <xs:enumeration value="abcdef123"/>
        <xs:enumeration value="abcdefg"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="DurationType">

```

```

    <xs:restriction base="xs:short">
      <xs:totalDigits value="4"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="GenderType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="M"/>
      <xs:enumeration value="F"/>
      <xs:enumeration value="U"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="HazmatType">
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="0"/>
      <xs:maxInclusive value="2"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="HeadingType">
    <xs:restriction base="xs:short">
      <xs:totalDigits value="3"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="IgnitionStateType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="on"/>
      <xs:enumeration value="off"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="IncidentIDType">
    <xs:restriction base="xs:string">
      <xs:maxLength value="10"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="LatitudeType">
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="10"/>
      <xs:fractionDigits value="6"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="LongitudeType">
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="11"/>
      <xs:fractionDigits value="6"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="LicensePlateNumberType">
    <xs:restriction base="xs:string">
      <xs:maxLength value="10"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="MedicalDataType">
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="NADType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="83"/>
      <xs:enumeration value="84"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="NameType">
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>

```

```
<xs:simpleType name="NbrOccupantsType">
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="0"/>
    <xs:maxInclusive value="100"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="OpenCommentType">
  <xs:restriction base="xs:string">
    <xs:maxLength value="400"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="OrientType">
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="0"/>
    <xs:maxInclusive value="4"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="PDOFType">
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:maxInclusive value="12"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="PolicyIDType">
  <xs:restriction base="xs:string">
    <xs:maxLength value="20"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ReferenceNbrType">
  <xs:restriction base="xs:string">
    <xs:maxLength value="20"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="RetrievalMethodType">
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="0"/>
    <xs:maxInclusive value="4"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="SSNType">
  <xs:restriction base="xs:string">
    <xs:minLength value="9"/>
    <xs:maxLength value="11"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="StageType" final="restriction">
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:maxInclusive value="3"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="StateProvinceType">
  <xs:restriction base="xs:string">
    <xs:maxLength value="3"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="TNType">
  <xs:restriction base="xs:string">
    <xs:minLength value="10"/>
    <xs:maxLength value="10"/>
    <xs:length value="10"/>
    <xs:pattern value="\d{10}"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="TypeType">
  <xs:restriction base="xs:integer">
```

```
        <xs:minInclusive value="0"/>
        <xs:maxInclusive value="4"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="USDOTType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="20"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="VehicleInfoType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="10"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="VINType">
    <xs:restriction base="xs:string">
        <xs:maxLength value="17"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="WeightType">
    <xs:restriction base="xs:short">
        <xs:totalDigits value="5"/>
        <xs:fractionDigits value="0"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="YearType">
    <xs:restriction base="xs:integer">
        <xs:totalDigits value="4"/>
        <xs:fractionDigits value="0"/>
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="YesNoUnknownType" final="restriction">
    <xs:restriction base="xs:string">
        <xs:enumeration value="Y"/>
        <xs:enumeration value="N"/>
        <xs:enumeration value="U"/>
    </xs:restriction>
</xs:simpleType>
</xs:schema>
```