

Schema **DeliveryOrder_NCA.xsd**


schema location: D:\siva\NCA XMLs REV\DeliveryOrder_NCA.xsd

Elements


[AdditionalInformation](#)
[additionalMark](#)
[AddressInformation](#)
[billOfLadingDate](#)
[BillOfLadingIdentifier](#)
[Body](#)
[Broker](#)
[brokerContractIdentifier](#)
[Buyer](#)
[buyerContractIdentifier](#)
[Consignment](#)
[ConsignmentDetails](#)
[ContactDetails](#)
[Container](#)
[containerIdentification](#)
[ContainerIdentifiers](#)
[containerType](#)
[ContractIdentifier](#)
[contractType](#)
[CountryOfDestination](#)
[CountryOfOrigin](#)
[cropYear](#)
[dateOfArrivalAtDestination](#)
[DeliveryOrder](#)
[documentCreatorIdentifier](#)
[documentID](#)
[documentNumber](#)
[documentVersion](#)
[e-TransactionNumber](#)
[endDate](#)
[estimatedDateOfAvailability](#)
[GeneralInformation](#)
[GrossWeight](#)
[Header](#)
[icoMark](#)
[InstructionalInformation](#)
[line](#)
[locationCode](#)
[locationName](#)
[LocationOfStock](#)
[locomotiveNumber](#)
[MoveOrDeliverPeriod](#)
[NetWeight](#)
[numberOfBags](#)
[OrganizationIdentification](#)
[organizationName](#)
[packagingType](#)
[Parties](#)
[PlaceOfDischarge](#)
[PlaceOfLoading](#)
[positionOfSale](#)
[product](#)
[ProductDescription](#)
[ProductQuality](#)
[Quantity](#)
[quantityUnits](#)
[quantityValue](#)
[railCarNumber](#)
[responsibilityOfWeighing](#)
[RoutingSummary](#)
[seal](#)

[Seller](#)
[sellerContractIdentifier](#)
[ShipmentMark](#)
[startDate](#)
[status](#)
[value](#)
[Vessel](#)
[vesselName](#)
[voyageNumber](#)
[WeighingMethod](#)
[weightUnitCode](#)


element **AdditionalInformation**

diagram	 <p>Remarks or other information relating to the Delivery Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.</p>
used by	element Body
annotation	documentation Remarks or other information relating to the Delivery Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.
source	<pre> <xs:element name="AdditionalInformation"> <xs:annotation> <xs:documentation>Remarks or other information relating to the Delivery Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.</xs:documentation> </xs:annotation> <xs:complexType/> </xs:element> </pre>

element **additionalMark**

diagram	 <p>Other shipment marks used to identify the coffee.</p>
type	xs:string
used by	element ShipmentMark
annotation	documentation Other shipment marks used to identify the coffee.
source	<pre> <xs:element name="additionalMark" type="xs:string"> <xs:annotation> <xs:documentation>Other shipment marks used to identify the coffee.</xs:documentation> </xs:annotation> </xs:element> </pre>

element **AddressInformation**

<p>diagram</p>	 <p>AddressInformation</p> <p>Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>FormattedAddress +</p> <p>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</p> <p>NormalisedAddress +</p> <p>Structured address format with address elements in distinct named elements</p>
<p>children</p>	<p>FormattedAddress NormalisedAddress</p>
<p>used by</p>	<p>elements Broker Buyer Parties/DeliverTo InstructionalInformation/DeliveryLocation InstructionalInformation/DeliveryOnAccountof Parties/ReleaseTo InstructionalInformation/RetieringForAccountOf Seller InstructionalInformation/Weighing/Weigher</p>
<p>annotation</p>	<p>documentation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p>
<p>source</p>	<pre><xs:element name="AddressInformation"> <xs:annotation> <xs:documentation>Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="FormattedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="NormalisedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Structured address format with address elements in distinct named elements</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="StreetAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Door nummer, street name, suite number etc part of the address within the city.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> </xs:complexType> </xs:element> <xs:element name="city" type="xs:string"> <xs:annotation> <xs:documentation>Name of the city</xs:documentation> </xs:annotation> </xs:element> <xs:element name="StateOrProvince" minOccurs="0"> <xs:annotation> <xs:documentation>State or Province name</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="stateOrProvinceCode" type="xs:string"/> <xs:element name="stateOrProvinceName" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="Country"> <xs:annotation> <xs:documentation>Country in which the address exists. Should be either a universal code or name of the country</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="countryName" type="xs:string"/> <xs:element name="countryCode" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="postalCode" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Postal code or zip part of the address</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--


element **AddressInformation/FormattedAddress**

diagram	<p>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</p>
children	line
annotation	documentation Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.
source	<pre> <xs:element name="FormattedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </pre>

</xs:element>

element AddressInformation/NormalisedAddress

diagram



children

[StreetAddress](#) [city](#) [StateOrProvince](#) [Country](#) [postalCode](#)

annotation

documentation Structured address format with address elements in distinct named elements

source

```
<xs:element name="NormalisedAddress" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Structured address format with address elements in distinct named elements</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="StreetAddress" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Door nummer, street name, suite number etc part of the address within the
city.</xs:documentation>
        </xs:annotation>
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="line" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="city" type="xs:string">
        <xs:annotation>
          <xs:documentation>Name of the city</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="StateOrProvince" minOccurs="0">
        <xs:annotation>
          <xs:documentation>State or Province name</xs:documentation>
        </xs:annotation>
        <xs:complexType>
          <xs:choice>
            <xs:element name="stateOrProvinceCode" type="xs:string"/>
            <xs:element name="stateOrProvinceName" type="xs:string"/>
          </xs:choice>
        </xs:complexType>
      </xs:element>
      <xs:element name="Country">
```

	<pre> <xs:annotation> <xs:documentation>Country in which the address exists. Should be either a universal code or name of the country</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="countryName" type="xs:string"/> <xs:element name="countryCode" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="postalCode" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Postal code or zip part of the address</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element AddressInformation/NormalisedAddress/StreetAddress

diagram	<p>Door numner, street name, suite number etc part of the address within the city.</p> <p>Line of text</p>
children	line
annotation	documentation Door numner, street name, suite number etc part of the address within the city.
source	<pre> <xs:element name="StreetAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Door numner, street name, suite number etc part of the address within the city.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element AddressInformation/NormalisedAddress/city

diagram	<p>Name of the city</p>
type	xs:string
annotation	documentation Name of the city
source	<pre> <xs:element name="city" type="xs:string"> <xs:annotation> <xs:documentation>Name of the city</xs:documentation> </xs:annotation> </xs:element> </pre>

element **AddressInformation/NormalisedAddress/StateOrProvince**

diagram	<p>State or Province name</p>
children	stateOrProvinceCode stateOrProvinceName
annotation	documentation State or Province name
source	<pre><xs:element name="StateOrProvince" minOccurs="0"> <xs:annotation> <xs:documentation>State or Province name</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="stateOrProvinceCode" type="xs:string"/> <xs:element name="stateOrProvinceName" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element></pre>

element **AddressInformation/NormalisedAddress/StateOrProvince/stateOrProvinceCode**

diagram	
type	xs:string
source	<pre><xs:element name="stateOrProvinceCode" type="xs:string"/></pre>

element **AddressInformation/NormalisedAddress/StateOrProvince/stateOrProvinceName**


diagram	
type	xs:string
source	<pre><xs:element name="stateOrProvinceName" type="xs:string"/></pre>

element **AddressInformation/NormalisedAddress/Country**


diagram	<p>Country in which the address exists. Should be either a universal code or name of the country</p>
children	countryName countryCode
annotation	documentation Country in which the address exists. Should be either a universal code or name of the country
source	<pre><xs:element name="Country"> <xs:annotation> <xs:documentation>Country in which the address exists. Should be either a universal code or name of the country</xs:documentation> </xs:annotation></pre>

	<pre> <xs:complexType> <xs:choice> <xs:element name="countryName" type="xs:string"/> <xs:element name="countryCode" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> </pre>
--	--


element **AddressInformation/NormalisedAddress/Country/countryName**

diagram	
type	xs:string
source	<code><xs:element name="countryName" type="xs:string"/></code>


element **AddressInformation/NormalisedAddress/Country/countryCode**

diagram	
type	xs:string
source	<code><xs:element name="countryCode" type="xs:string"/></code>

element **AddressInformation/NormalisedAddress/postalCode**

diagram	 <p>Postal code or zip part of the address</p>
type	xs:string
annotation	documentation Postal code or zip part of the address
source	<pre> <xs:element name="postalCode" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Postal code or zip part of the address</xs:documentation> </xs:annotation> </xs:element> </pre>

element **billOfLadingDate**

diagram	 <p>Date when the Bill of Lading was issued.</p>
type	xs:date
used by	element RoutingSummary
annotation	documentation Date when the Bill of Lading was issued.
source	<pre> <xs:element name="billOfLadingDate" type="xs:date"> <xs:annotation> <xs:documentation>Date when the Bill of Lading was issued.</xs:documentation> </xs:annotation> </xs:element> </pre>


element **BillOfLadingIdentifier**

<p>diagram</p>	
<p>children</p>	<p>documentCreatorIdentifier documentNumber documentVersion</p>
<p>used by</p>	<p>element RoutingSummary</p>
<p>annotation</p>	<p>documentation Identification provided on the Bill of Lading</p>
<p>source</p>	<pre><xs:element name="BillOfLadingIdentifier"> <xs:annotation> <xs:documentation>Identification provided on the Bill of Lading</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="documentCreatorIdentifier" minOccurs="0"/> <xs:element ref="documentNumber"/> <xs:element ref="documentVersion" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>


element **Body**

<p>diagram</p>	<p>Body Body of the document containing all the required details.</p> <ul style="list-style-type: none"> GeneralInformation References and other general information pertaining to the contract and this document. Parties Various parties involved in the business transaction to which this document pertains RoutingSummary Details of the means of transportation, and associated references, describing how this shipment is transported Consignment Information about the consignment being being released for delivery. InstructionalInformation Instructional information pertaining to this document AdditionalInformation Remarks or other information relating to the Delivery Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.
<p>children</p>	<p>GeneralInformation Parties RoutingSummary Consignment InstructionalInformation AdditionalInformation</p>
<p>used by</p>	<p>element DeliveryOrder</p>
<p>annotation</p>	<p>documentation Body of the document containing all the required details.</p>
<p>source</p>	<pre><xs:element name="Body"> <xs:annotation> <xs:documentation>Body of the document containing all the required details.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="GeneralInformation"/> <xs:element ref="Parties"/> <xs:element ref="RoutingSummary"/> <xs:element ref="Consignment"/> <xs:element ref="InstructionalInformation"/> <xs:element ref="AdditionalInformation" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **Broker**


<p>diagram</p>	 <p>Broker Broker associated with the Contract, if any</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique Identification for the organization</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
<p>children</p>	<p>organizationName OrganizationIdentification AddressInformation ContactDetails</p>
<p>used by</p>	<p>element Parties</p>
<p>annotation</p>	<p>documentation Broker associated with the Contract, if any</p>
<p>source</p>	<pre><xs:element name="Broker"> <xs:annotation> <xs:documentation>Broker associated with the Contract, if any</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **brokerContractIdentifier**


<p>diagram</p>	 <p>brokerContractIdentifier Broker's Contract Reference if a broker was involved with the issuance of the Contract.</p>
<p>type</p>	<p>xs:string</p>
<p>used by</p>	<p>element GeneralInformation</p>

annotation	documentation Broker's Contract Reference if a broker was involved with the issuance of the Contract.
source	<pre><xs:element name="brokerContractIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Broker's Contract Reference if a broker was involved with the issuance of the Contract.</xs:documentation> </xs:annotation> </xs:element></pre>


element Buyer

diagram	
children	organizationName OrganizationIdentification AddressInformation ContactDetails
used by	element Parties
annotation	documentation Name and address of the Buyer on the contract
source	<pre><xs:element name="Buyer"> <xs:annotation> <xs:documentation>Name and address of the Buyer on the contract</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **buyerContractIdentifier**


diagram	 <p>Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p>
type	xs:string
used by	element GeneralInformation
annotation	documentation Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System
source	<pre><xs:element name="buyerContractIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</xs:documentation> </xs:annotation> </xs:element></pre>

element **Consignment**


diagram	 <p>Quantity + Quantity being shipped expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.</p> <p>ProductQuality + Group element collecting the different elements that are used to uniquely describe the Coffee and quality</p> <p>Consignment + Information about the consignment being released for delivery.</p> <p>ConsignmentDetails + Group Element provides details of the consignment being shipped that this Shipping Advice pertains to</p> <p>customsReleaseDate + Date Customs Releases the shipment</p> <p>fdaReleaseDate + Date FDA Releases the shipment</p> <p>approvalDate + Date when the Shipment Samples were approved</p>
children	Quantity ProductQuality ConsignmentDetails customsReleaseDate fdaReleaseDate approvalDate
used by	element Body

annotation	documentation Information about the consignment being being released for delivery.
source	<pre> <xs:element name="Consignment"> <xs:annotation> <xs:documentation>Information about the consignment being being released for delivery.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Quantity"/> <xs:element ref="ProductQuality"/> <xs:element ref="ConsignmentDetails" minOccurs="0"/> <xs:element name="customsReleaseDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date Customs Releases the shipment</xs:documentation> </xs:annotation> </xs:element> <xs:element name="fdaReleaseDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date FDA Releases the shipment</xs:documentation> </xs:annotation> </xs:element> <xs:element name="approvalDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date when the Shipment Samples were approved</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>


element Consignment/customsReleaseDate

diagram	
type	xs:date
annotation	documentation Date Customs Releases the shipment
source	<pre> <xs:element name="customsReleaseDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date Customs Releases the shipment</xs:documentation> </xs:annotation> </xs:element> </pre>


element Consignment/fdaReleaseDate

diagram	
type	xs:date
annotation	documentation Date FDA Releases the shipment
source	<pre> <xs:element name="fdaReleaseDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date FDA Releases the shipment</xs:documentation> </xs:annotation> </xs:element> </pre>

element **Consignment/approvalDate**

diagram	 <p>approvalDate Date when the Shipment Samples were approved</p>
type	xs:date
annotation	documentation Date when the Shipment Samples were approved
source	<pre><xs:element name="approvalDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date when the Shipment Samples were approved</xs:documentation> </xs:annotation> </xs:element></pre>

element **ConsignmentDetails**


diagram	 <p>ConsignmentDetails Group Element provides details of the consignment being shipped that this Shipping Advice pertains to</p> <p>freightType Type of Freight- can be Container, Break Bulk</p> <p>ContainerIdentifiers 0..∞ Details of all the containers and marks used to make the shipment - ISO Standards</p> <p>GrossWeight Gross Weight of the Shipment/Consignment as indicated in the Shipping Documents</p> <p>NetWeight Net weight of the Shipment/Consignment as indicated in the Shipping Documents</p>
children	freightType ContainerIdentifiers GrossWeight NetWeight
used by	element Consignment
annotation	documentation Group Element provides details of the consignment being shipped that this Shipping Advice pertains to
source	<pre><xs:element name="ConsignmentDetails"> <xs:annotation> <xs:documentation>Group Element provides details of the consignment being shipped that this Shipping Advice pertains to</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="freightType" minOccurs="0"> <xs:annotation> <xs:documentation>Type of Freight- can be Container, Break Bulk</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Container"/> <xs:enumeration value="Break Bulk"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

```


</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element ref="ContainerIdentifiers" minOccurs="0" maxOccurs="unbounded"/>
<xs:element ref="GrossWeight" minOccurs="0"/>
<xs:element ref="NetWeight" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element ConsignmentDetails/freightType


diagram	
type	restriction of xs:string
facets	enumeration Container enumeration Break Bulk
annotation	documentation Type of Freight- can be Container, Break Bulk
source	<pre> <xs:element name="freightType" minOccurs="0"> <xs:annotation> <xs:documentation>Type of Freight- can be Container, Break Bulk</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Container"/> <xs:enumeration value="Break Bulk"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element ContactDetails


<p>diagram</p>	
<p>children</p>	<p>personName departmentName telephoneNumber faxNumber e-MailAddress</p>
<p>used by</p>	<p>elements Broker Buyer Parties/DeliverTo InstructionalInformation/DeliveryLocation InstructionalInformation/DeliveryOnAccountof Parties/ReleaseTo InstructionalInformation/RetieringForAccountOf Seller InstructionalInformation/Weighing/Weigher</p>
<p>annotation</p>	<p>documentation Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
<p>source</p>	<pre><xs:element name="ContactDetails"> <xs:annotation> <xs:documentation>Information pertaining to the contact person in the organisation pertaining to this document, if available.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="personName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Full Name of the person to be contacted within the organisation.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="departmentName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Name of the organisational unit or Department that the Contact person works in</xs:documentation> </xs:annotation> </xs:element> <xs:element name="telephoneNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="faxNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Fax (Facsimile) Number. Precise format will depend on the parties concerned and local format for</pre>

	<pre> fax numbers.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="e-MailAddress" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Electronic mailing address</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--


element ContactDetails/personName

diagram	 <p>Full Name of the person to be contacted within the organisation.</p>
type	xs:string
annotation	documentation Full Name of the person to be contacted within the organisation.
source	<pre> <xs:element name="personName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Full Name of the person to be contacted within the organisation.</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContactDetails/departmentName


diagram	 <p>Name of the organisational unit or Department that the Contact person works in</p>
type	xs:string
annotation	documentation Name of the organisational unit or Department that the Contact person works in
source	<pre> <xs:element name="departmentName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Name of the organisational unit or Department that the Contact person works in</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContactDetails/telephoneNumber


diagram	 <p>Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.</p>
type	xs:string
annotation	documentation Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.
source	<pre> <xs:element name="telephoneNumber" type="xs:string" minOccurs="0"> <xs:annotation> </pre>

	<pre> <xs:documentation>Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.</xs:documentation> </xs:annotation> </xs:element> </pre>
--	--


element ContactDetails/faxNumber

diagram	
type	xs:string
annotation	documentation Fax (Facsimile) Number. Precise format will depend on the parties concerned and local format for fax numbers.
source	<pre> <xs:element name="faxNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Fax (Facsimile) Number. Precise format will depend on the parties concerned and local format for fax numbers.</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContactDetails/e-MailAddress

diagram	
type	xs:string
annotation	documentation Electronic mailing address
source	<pre> <xs:element name="e-MailAddress" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Electronic mailing address</xs:documentation> </xs:annotation> </xs:element> </pre>

element Container


diagram	
children	containerIdentification containerType
used by	element ContainerIdentifiers
annotation	documentation Identifies the container if the freight type is container
source	<pre> <xs:element name="Container"> <xs:annotation> <xs:documentation>Identifies the container if the freight type is container</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> </pre>

```


<xs:element ref="containerIdentification"/>
<xs:element ref="containerType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element containerIdentification

diagram	
type	xs:string
used by	element Container
annotation	documentation Unique Container number
source	<pre> <xs:element name="containerIdentification" type="xs:string"> <xs:annotation> <xs:documentation>Unique Container number</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContainerIdentifiers

diagram	
children	Container seal ShipmentMark ContainerUnits warehouseReceipt cargoNo exchangeIdNo
used by	element ConsignmentDetails


annotation	documentation Details of all the containers and marks used to make the shipment - ISO Standards
source	<pre> <xs:element name="ContainerIdentifiers"> <xs:annotation> <xs:documentation>Details of all the containers and marks used to make the shipment - ISO Standards</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Container" minOccurs="0"/> <xs:element ref="seal" minOccurs="0"/> <xs:element ref="ShipmentMark" minOccurs="0"/> <xs:element name="ContainerUnits" minOccurs="0"> <xs:annotation> <xs:documentation>Quantity of Coffee in the container</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="quantityValue"> <xs:annotation> <xs:documentation>Example - No of bags per container</xs:documentation> </xs:annotation> </xs:element> <xs:element name="quantityUnits" minOccurs="0"> <xs:annotation> <xs:documentation>69 Kg Bags</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="warehouseReceipt" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Receipt No for the stock issued by the Warehouse</xs:documentation> </xs:annotation> </xs:element> <xs:element name="cargoNo" minOccurs="0"> <xs:annotation> <xs:documentation>Cargo No issued by the warehouse for various lots/ containers, e.g. - C- 12345</xs:documentation> </xs:annotation> </xs:element> <xs:element name="exchangeIdNo" minOccurs="0"> <xs:annotation> <xs:documentation>Exchange ID No issued by the Exchange / Warehouse after Grading the stock</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element ContainerIdentifiers/ContainerUnits


diagram	
children	quantityValue quantityUnits
annotation	documentation Quantity of Coffee in the container

source	<pre> <xs:element name="ContainerUnits" minOccurs="0"> <xs:annotation> <xs:documentation>Quantity of Coffee in the container</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="quantityValue"> <xs:annotation> <xs:documentation>Example - No of bags per container</xs:documentation> </xs:annotation> </xs:element> <xs:element name="quantityUnits" minOccurs="0"> <xs:annotation> <xs:documentation>69 Kg Bags</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--------	---


element ContainerIdentifiers/ContainerUnits/quantityValue

diagram	
annotation	documentation Example - No of bags per container
source	<pre> <xs:element name="quantityValue"> <xs:annotation> <xs:documentation>Example - No of bags per container</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContainerIdentifiers/ContainerUnits/quantityUnits

diagram	
annotation	documentation 69 Kg Bags
source	<pre> <xs:element name="quantityUnits" minOccurs="0"> <xs:annotation> <xs:documentation>69 Kg Bags</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContainerIdentifiers/warehouseReceipt

diagram	
annotation	documentation Warehouse Receipt No for the stock issued by the Warehouse
source	<pre> <xs:element name="warehouseReceipt" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Receipt No for the stock issued by the Warehouse</xs:documentation> </xs:annotation> </pre>

	</xs:element>
--	---------------

element ContainerIdentifiers/cargoNo

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;">cargoNo</div> Cargo No issued by the warehouse for various lots/ containers, e.g. - C-12345
annotation	documentation Cargo No issued by the warehouse for various lots/ containers, e.g. - C-12345
source	<xs:element name="cargoNo" minOccurs="0"> <xs:annotation> <xs:documentation>Cargo No issued by the warehouse for various lots/ containers, e.g. - C-12345</xs:documentation> </xs:annotation> </xs:element>

element ContainerIdentifiers/exchangeldNo

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;">exchangeldNo</div> Exchange ID No issued by the Exchange / Warehouse after Grading the stock
annotation	documentation Exchange ID No issued by the Exchange / Warehouse after Grading the stock
source	<xs:element name="exchangeldNo" minOccurs="0"> <xs:annotation> <xs:documentation>Exchange ID No issued by the Exchange / Warehouse after Grading the stock</xs:documentation> </xs:annotation> </xs:element>


element containerType

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;">containerType</div> Type of container - 20 or 40 feet
type	list of xs:string
used by	element Container
annotation	documentation Type of container - 20 or 40 feet
source	<xs:element name="containerType"> <xs:annotation> <xs:documentation>Type of container - 20 or 40 feet</xs:documentation> </xs:annotation> <xs:simpleType> <xs:list itemType="xs:string"/> </xs:simpleType> </xs:element>


element **ContractIdentifier**

<p>diagram</p>	<p>ContractIdentifier Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</p> <p>documentCreatorIdentifier Identifies the company or system which issued the docr., e.g. Carrier Name for B/L</p> <p>documentNumber Unique identification of the document</p> <p>documentVersion Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.</p> <p>contractExtension Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</p>
<p>children</p>	<p>documentCreatorIdentifier documentNumber documentVersion contractExtension</p>
<p>used by</p>	<p>element GeneralInformation</p>
<p>annotation</p>	<p>documentation Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</p>
<p>source</p>	<pre> <xs:element name="ContractIdentifier"> <xs:annotation> <xs:documentation>Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="documentCreatorIdentifier"/> <xs:element ref="documentNumber"/> <xs:element ref="documentVersion" minOccurs="0"/> <xs:element name="contractExtension" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **ContractIdentifier/contractExtension**

diagram	 <p>Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</p>
type	xs:string
annotation	documentation Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts
source	<pre><xs:element name="contractExtension" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</xs:documentation> </xs:annotation> </xs:element></pre>

element **contractType**

diagram	 <p>IncoTerms for the Contract. e.g. - FOB, CNF, etc</p>
type	restriction of xs:string
used by	element GeneralInformation
facets	<ul style="list-style-type: none"> maxLength 14 enumeration C+F enumeration CIF enumeration Delivered enumeration FOB enumeration FOR enumeration FOT enumeration Ex-Docks enumeration Ex-Warehouse enumeration Spot
annotation	documentation IncoTerms for the Contract. e.g. - FOB, CNF, etc
source	<pre><xs:element name="contractType"> <xs:annotation> <xs:documentation>IncoTerms for the Contract. e.g. - FOB, CNF, etc</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="14"/> <xs:enumeration value="C+F"/> <xs:enumeration value="CIF"/> <xs:enumeration value="Delivered"/> <xs:enumeration value="FOB"/> <xs:enumeration value="FOR"/> <xs:enumeration value="FOT"/> <xs:enumeration value="Ex-Docks"/> <xs:enumeration value="Ex-Warehouse"/> <xs:enumeration value="Spot"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element CountryOfDestination

diagram	
children	locationCode countryName
used by	element RoutingSummary
annotation	documentation Country of the Delivery Location
source	<pre><xs:element name="CountryOfDestination"> <xs:annotation> <xs:documentation>Country of the Delivery Location</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element name="countryName" type="xs:string"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element CountryOfDestination/countryName


diagram	
type	xs:string
source	<pre><xs:element name="countryName" type="xs:string"/></pre>

element CountryOfOrigin


diagram	
children	locationCode locationName
used by	element ProductQuality
annotation	documentation Country of the original port from which the shipment takes place.
source	<pre><xs:element name="CountryOfOrigin"> <xs:annotation> <xs:documentation>Country of the original port from which the shipment takes place.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre><xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element></pre>
--	--


element **cropYear**

diagram	
type	xs:string
used by	element ProductQuality
annotation	documentation Year in which the crop was harvested.
source	<pre><xs:element name="cropYear" type="xs:string"> <xs:annotation> <xs:documentation>Year in which the crop was harvested.</xs:documentation> </xs:annotation> </xs:element></pre>

element **dateOfArrivalAtDestination**


diagram	
type	xs:date
used by	element RoutingSummary
annotation	documentation Arrival Date of shipment at destination.
source	<pre><xs:element name="dateOfArrivalAtDestination" type="xs:date"> <xs:annotation> <xs:documentation>Arrival Date of shipment at destination.</xs:documentation> </xs:annotation> </xs:element></pre>

element **DeliveryOrder**


diagram	
children	Header Body
annotation	documentation This document provides the authorization for the designated party to take delivery of the specified consignment at the specified delivery location, and describes the associated terms and conditions.
source	<pre><xs:element name="DeliveryOrder"> <xs:annotation></pre>

	<pre> <xs:documentation>This document provides the authorization for the designated party to take delivery of the specified consignment at the specified delivery location, and describes the associated terms and conditions.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Header"/> <xs:element ref="Body"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---


element documentCreatorIdentifier

diagram	 <p>Identifies the company or system which issued the docr., e.g. Carrier Name for B/L</p>
type	xs:string
used by	elements BillOfLadingIdentifier ContractIdentifier
annotation	documentation Identifies the company or system which issued the docr., e.g. Carrier Name for B/L
source	<pre> <xs:element name="documentCreatorIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Identifies the company or system which issued the docr., e.g. Carrier Name for B/L</xs:documentation> </xs:annotation> </xs:element> </pre>

element documentID


diagram	 <p>Users can enter, if any, their Delivery Order No.</p>
type	xs:string
used by	element Header
annotation	documentation Users can enter, if any, their Delivery Order No.
source	<pre> <xs:element name="documentID" type="xs:string"> <xs:annotation> <xs:documentation>Users can enter, if any, their Delivery Order No.</xs:documentation> </xs:annotation> </xs:element> </pre>

element documentNumber


diagram	 <p>Unique identification of the document</p>
type	restriction of xs:string
used by	elements BillOfLadingIdentifier ContractIdentifier
facets	maxLength 14

annotation	documentation Unique identification of the document
source	<pre><xs:element name="documentNumber"> <xs:annotation> <xs:documentation>Unique identification of the document</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="14"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element documentVersion

diagram	
type	xs:decimal
used by	elements BillOfLadingIdentifier ContractIdentifier
annotation	documentation Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.
source	<pre><xs:element name="documentVersion" type="xs:decimal"> <xs:annotation> <xs:documentation>Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.</xs:documentation> </xs:annotation> </xs:element></pre>

element e-TransactionNumber


diagram	
type	xs:string
used by	element GeneralInformation
annotation	documentation Contract Number generated by an E-Commerce service such as EXIMWARE's ICM
source	<pre><xs:element name="e-TransactionNumber" type="xs:string"> <xs:annotation> <xs:documentation>Contract Number generated by an E-Commerce service such as EXIMWARE's ICM</xs:documentation> </xs:annotation> </xs:element></pre>

element endDate

diagram	
---------	---

type	xs:date
used by	element MoveOrDeliverPeriod
annotation	documentation End date of the period
source	<pre><xs:element name="endDate" type="xs:date"> <xs:annotation> <xs:documentation>End date of the period</xs:documentation> </xs:annotation> </xs:element></pre>

element **estimatedDateOfAvailability**

diagram	 <p>estimatedDateOfAvailability Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.</p>
type	xs:date
used by	element RoutingSummary
annotation	documentation Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.
source	<pre><xs:element name="estimatedDateOfAvailability" type="xs:date"> <xs:annotation> <xs:documentation>Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.</xs:documentation> </xs:annotation> </xs:element></pre>

element **GeneralInformation**

<p>diagram</p>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p>dateOfIssue</p> <p>Date of Issue of Delivery Order in ISO format, i.e. - YYYY-MM-DD</p> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p>ContractIdentifier +</p> <p>Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</p> </div> <div style="border: 1px dashed black; padding: 5px; margin-bottom: 10px;"> <p>contractType</p> <p>IncoTerms for the Contract, e.g. - FOB, CNF, etc</p> </div> <div style="border: 1px dashed black; padding: 5px; margin-bottom: 10px;"> <p>e-TransactionNumber</p> <p>Contract Number generated by an E-Commerce service such as EXIMWARE's ICM</p> </div> <div style="border: 1px dashed black; padding: 5px; margin-bottom: 10px;"> <p>buyerContractIdentifier</p> <p>Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p> </div> <div style="border: 1px dashed black; padding: 5px; margin-bottom: 10px;"> <p>sellerContractIdentifier</p> <p>Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p> </div> <div style="border: 1px dashed black; padding: 5px;"> <p>brokerContractIdentifier</p> <p>Broker's Contract Reference if a broker was involved with the issuance of the Contract.</p> </div>
<p>children</p>	<p>dateOfIssue ContractIdentifier contractType e-TransactionNumber buyerContractIdentifier sellerContractIdentifier brokerContractIdentifier</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation References and other general information pertaining to the contract and this document.</p>
<p>source</p>	<pre> <xs:element name="GeneralInformation"> <xs:annotation> <xs:documentation>References and other general information pertaining to the contract and this document.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="dateOfIssue"> <xs:annotation> <xs:documentation>Date of Issue of Delivery Order in ISO format, i.e. - YYYY-MM-DD</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </pre>

	<pre> </xs:element> <xs:element ref="ContractIdentifier"/> <xs:element ref="contractType" minOccurs="0"/> <xs:element ref="e-TransactionNumber" minOccurs="0"/> <xs:element ref="buyerContractIdentifier" minOccurs="0"/> <xs:element ref="sellerContractIdentifier" minOccurs="0"/> <xs:element ref="brokerContractIdentifier" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element **GeneralInformation/dateOfIssue**

diagram	
annotation	documentation Date of Issue of Delivery Order in ISO format, i.e. - YYYY-MM-DD
source	<pre> <xs:element name="dateOfIssue"> <xs:annotation> <xs:documentation>Date of Issue of Delivery Order in ISO format, i.e. - YYYY-MM-DD</xs:documentation> </xs:annotation> <xs:complexType/> </xs:element> </pre>

element **GrossWeight**

diagram	
children	value weightUnitCode
used by	element ConsignmentDetails
annotation	documentation Gross Weight of the Shipment/Consignment as indicated in the Shipping Documents
source	<pre> <xs:element name="GrossWeight"> <xs:annotation> <xs:documentation>Gross Weight of the Shipment/Consignment as indicated in the Shipping Documents</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="value"/> <xs:element ref="weightUnitCode"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element Header

diagram	
children	documentID status
used by	element DeliveryOrder
annotation	documentation Header, used for control purposes
source	<pre><xs:element name="Header"> <xs:annotation> <xs:documentation>Header, used for control purposes</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="documentID" minOccurs="0"/> <xs:element ref="status"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element icoMark

diagram	
type	xs:string
used by	element ShipmentMark
annotation	documentation Universal standardized ICO mark for the coffee if available.
source	<pre><xs:element name="icoMark" type="xs:string"> <xs:annotation> <xs:documentation>Universal standardized ICO mark for the coffee if available.</xs:documentation> </xs:annotation> </xs:element></pre>

element **InstructionalInformation**

<p>diagram</p>	<p>InstructionalInformation (+)</p> <p>Instructional information pertaining to this document</p> <ul style="list-style-type: none"> DeliveryLocation (+) Name, address and contact details for the Location of the Coffee. E.g. RPM Warehouse Inc. MoveOrDeliverPeriod (+) Period specified in the contract - shipment, delivery, etc as specified by position of sale element deliveryDate (+) Date of Delivery freeTimeEndsDate (+) Date by which the Coffee should be picked up without incurring charges Weighing (+) Name of the Weigher and weighing instructions RetieringForAccountOf (+) Name and address of the organization responsible for paying Retiering charges if applicable DeliveryOnAccountof (+) Name and address of the organization responsible for paying the Trucking / Transport Charges
<p>children</p>	<p>DeliveryLocation MoveOrDeliverPeriod deliveryDate freeTimeEndsDate Weighing RetieringForAccountOf DeliveryOnAccountof</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation Instructional information pertaining to this document</p>
<p>source</p>	<pre><xs:element name="InstructionalInformation"> <xs:annotation> <xs:documentation>Instructional information pertaining to this document</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="DeliveryLocation"> <xs:annotation> <xs:documentation>Name, address and contact details for the Location of the Coffee. E.g. RPM Warehouse Inc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element ref="MoveOrDeliverPeriod"/> <xs:element ref="deliveryDate"/> <xs:element ref="freeTimeEndsDate"/> <xs:element ref="Weighing"/> <xs:element ref="RetieringForAccountOf"/> <xs:element ref="DeliveryOnAccountof"/> </xs:sequence> </xs:complexType> </xs:element></pre>

```

</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element ref="MoveOrDeliverPeriod" minOccurs="0"/>
<xs:element name="deliveryDate" type="xs:date" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Date of Delivery</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="freeTimeEndsDate" type="xs:date" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Date by which the Coffee should be picked up without incurring charges</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="Weighing" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Name of the Weigher and weighing instructions</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="percentToweigh" type="xs:decimal"/>
      <xs:element name="Weigher">
        <xs:annotation>
          <xs:documentation>Name and address of the Organization that does the weighing, e.g. R.Markey
Sons</xs:documentation>
        </xs:annotation>
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="organizationName"/>
            <xs:element ref="OrganizationIdentification" minOccurs="0"/>
            <xs:element ref="AddressInformation" minOccurs="0"/>
            <xs:element ref="ContactDetails" minOccurs="0"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element ref="responsibilityOfWeighing" minOccurs="0"/>
      <xs:element name="weighByDate" type="xs:date" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Latest Date by when the Weighing should be completed </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element ref="WeighingMethod" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="RetieringForAccountOf" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Name and address of the organization responsible for paying Retiering charges if
applicable</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="organizationName"/>
      <xs:element ref="OrganizationIdentification" minOccurs="0"/>
      <xs:element ref="AddressInformation" minOccurs="0"/>
      <xs:element ref="ContactDetails" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="DeliveryOnAccountof" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Name and address of the organization responsible for paying the Trucking / Transport
Charges</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="organizationName"/>
      <xs:element ref="OrganizationIdentification" minOccurs="0"/>
      <xs:element ref="AddressInformation" minOccurs="0"/>
      <xs:element ref="ContactDetails" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>

```

```

</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element InstructionalInformation/DeliveryLocation

<p>diagram</p>	<p>DeliveryLocation Name, address and contact details for the Location of the Coffee. E.g. RPM Warehouse Inc.</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique Identification for the organization</p> <p>AddressInformation + Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails + Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
<p>children</p>	<p>organizationName OrganizationIdentification AddressInformation ContactDetails</p>
<p>annotation</p>	<p>documentation Name, address and contact details for the Location of the Coffee. E.g. RPM Warehouse Inc.</p>
<p>source</p>	<pre> <xs:element name="DeliveryLocation"> <xs:annotation> <xs:documentation>Name, address and contact details for the Location of the Coffee. E.g. RPM Warehouse Inc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element InstructionalInformation/deliveryDate

<p>diagram</p>	<p>deliveryDate Date of Delivery</p>
----------------	---

type	xs:date
annotation	documentation Date of Delivery
source	<pre><xs:element name="deliveryDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date of Delivery</xs:documentation> </xs:annotation> </xs:element></pre>

element InstructionalInformation/freeTimeEndsDate

diagram	
type	xs:date
annotation	documentation Date by which the Coffee should be picked up without incurring charges
source	<pre><xs:element name="freeTimeEndsDate" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>Date by which the Coffee should be picked up without incurring charges</xs:documentation> </xs:annotation> </xs:element></pre>

element InstructionalInformation/Weighing


diagram	
children	percentToweigh Weigher responsibilityOfWeighing weighByDate WeighingMethod
annotation	documentation Name of the Weigher and weighing instructions
source	<pre><xs:element name="Weighing" minOccurs="0"> <xs:annotation> <xs:documentation>Name of the Weigher and weighing instructions</xs:documentation> </xs:annotation> </xs:element></pre>

```

</xs:annotation>
<xs:complexType>
  <xs:sequence>
    <xs:element name="percentToweigh" type="xs:decimal"/>
    <xs:element name="Weigher">
      <xs:annotation>
        <xs:documentation>Name and address of the Organization that does the weighing, e.g. R.Markey
      </xs:documentation>
      Sons</xs:documentation>
      </xs:annotation>
      <xs:complexType>
        <xs:sequence>
          <xs:element ref="organizationName"/>
          <xs:element ref="OrganizationIdentification" minOccurs="0"/>
          <xs:element ref="AddressInformation" minOccurs="0"/>
          <xs:element ref="ContactDetails" minOccurs="0"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element ref="responsibilityOfWeighing" minOccurs="0"/>
    <xs:element name="weighByDate" type="xs:date" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Latest Date by when the Weighing should be completed </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element ref="WeighingMethod" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
</xs:element>

```

element InstructionalInformation/Weighing/percentToweigh

diagram	
type	xs:decimal
source	<code><xs:element name="percentToweigh" type="xs:decimal"/></code>

element InstructionalInformation/Weighing/Weigher

diagram	<p>Weigher Name and address of the Organization that does the weighing, e.g. R.Markey Sons</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique Identification for the organization</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
children	organizationName OrganizationIdentification AddressInformation ContactDetails
annotation	documentation Name and address of the Organization that does the weighing, e.g. R.Markey Sons
source	<pre><xs:element name="Weigher"> <xs:annotation> <xs:documentation>Name and address of the Organization that does the weighing, e.g. R.Markey Sons</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element InstructionalInformation/Weighing/weighByDate

diagram	<p>weighByDate Latest Date by when the Weighing should be completed</p>
type	xs:date
annotation	documentation Latest Date by when the Weighing should be completed
source	<pre><xs:element name="weighByDate" type="xs:date" minOccurs="0"></pre>

	<pre> <xs:annotation> <xs:documentation>Latest Date by when the Weighing should be completed </xs:documentation> </xs:annotation> </xs:element> </pre>
--	--

element InstructionalInformation/RetieringForAccountOf

diagram	
children	organizationName OrganizationIdentification AddressInformation ContactDetails
annotation	documentation Name and address of the organization responsible for paying Retiering charges if applicable
source	<pre> <xs:element name="RetieringForAccountOf" minOccurs="0"> <xs:annotation> <xs:documentation>Name and address of the organization responsible for paying Retiering charges if applicable</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element InstructionalInformation/DeliveryOnAccountof

diagram	<p>DeliveryOnAccountof Name and address of the organization responsible for paying the Trucking / Transport Charges</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique Identification for the organization</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
children	organizationName OrganizationIdentification AddressInformation ContactDetails
annotation	documentation Name and address of the organization responsible for paying the Trucking / Transport Charges
source	<pre><xs:element name="DeliveryOnAccountof" minOccurs="0"> <xs:annotation> <xs:documentation>Name and address of the organization responsible for paying the Trucking / Transport Charges</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element line

diagram	<p>line Line of text</p>
type	xs:string
used by	elements AddressInformation/FormattedAddress AddressInformation/NormalisedAddress/StreetAddress
annotation	documentation Line of text
source	<pre><xs:element name="line" type="xs:string"></pre>

	<pre> <xs:annotation> <xs:documentation>Line of text</xs:documentation> </xs:annotation> </xs:element> </pre>
--	---

element **locationCode**

diagram	
type	xs:string
used by	elements CountryOfDestination CountryOfOrigin PlaceOfDischarge PlaceOfLoading RoutingSummary/PlaceOfOrigin
annotation	documentation Harmonized Location Code for the location
source	<pre> <xs:element name="locationCode" type="xs:string"> <xs:annotation> <xs:documentation>Harmonized Location Code for the location</xs:documentation> </xs:annotation> </xs:element> </pre>

element **locationName**

diagram	
type	xs:string
used by	elements CountryOfOrigin LocationOfStock PlaceOfDischarge PlaceOfLoading RoutingSummary/PlaceOfOrigin
annotation	documentation Descriptive name associated with the location, e.g. - Continental Warehouse, New York
source	<pre> <xs:element name="locationName" type="xs:string"> <xs:annotation> <xs:documentation>Descriptive name associated with the location, e.g. - Continental Warehouse, New York</xs:documentation> </xs:annotation> </xs:element> </pre>

element **LocationOfStock**


diagram	
children	locationName storeNo
used by	element RoutingSummary
annotation	documentation Location of Coffee where the coffee is lying

source	<pre> <xs:element name="LocationOfStock"> <xs:annotation> <xs:documentation>Location of Coffee where the coffee is lying</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationName"/> <xs:element name="storeNo" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Store #</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--------	---


element LocationOfStock/storeNo

diagram	
type	xs:string
annotation	documentation Warehouse Store #
source	<pre> <xs:element name="storeNo" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Store #</xs:documentation> </xs:annotation> </xs:element> </pre>


element locomotiveNumber

diagram	
type	xs:string
used by	element RoutingSummary/MeansOfTransport/RailTransportIdentification
annotation	documentation Unique identification of the locomotive
source	<pre> <xs:element name="locomotiveNumber" type="xs:string"> <xs:annotation> <xs:documentation>Unique identification of the locomotive</xs:documentation> </xs:annotation> </xs:element> </pre>


element **MoveOrDeliverPeriod**

diagram	 <p>The diagram shows the MoveOrDeliverPeriod element connected to a container (hexagon with four dots) which then branches into three child elements: startDate, endDate, and positionOfSale.</p> <p>startDate: start date of the period</p> <p>endDate: End date of the period</p> <p>positionOfSale: Whether it is Shipment, Delivery or afloat basis</p> <p>Period specified in the contract - shipment, delivery, etc as specified by position of sale element</p>
children	startDate endDate positionOfSale
used by	element InstructionalInformation
annotation	documentation Period specified in the contract - shipment, delivery, etc as specified by position of sale element
source	<pre><xs:element name="MoveOrDeliverPeriod"> <xs:annotation> <xs:documentation>Period specified in the contract - shipment, delivery, etc as specified by position of sale element</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="startDate"/> <xs:element ref="endDate"/> <xs:element ref="positionOfSale"/> </xs:sequence> </xs:complexType> </xs:element></pre>


element **NetWeight**

diagram	 <p>The diagram shows the NetWeight element connected to a container (hexagon with four dots) which then branches into two child elements: value and weightUnitCode.</p> <p>value: A Numeric value</p> <p>weightUnitCode: Harmonized weight unit code</p> <p>Net weight of the Shipment/Consignment as indicated in the Shipping Documents</p>
children	value weightUnitCode
used by	element ConsignmentDetails
annotation	documentation Net weight of the Shipment/Consignment as indicated in the Shipping Documents
source	<pre><xs:element name="NetWeight"> <xs:annotation> <xs:documentation>Net weight of the Shipment/Consignment as indicated in the Shipping Documents</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="value"/> <xs:element ref="weightUnitCode"/> </xs:sequence> </xs:complexType> </xs:element></pre>


element **numberOfBags**

diagram	 <p>No of bags per marks</p>
type	xs:integer
used by	element ShipmentMark
annotation	documentation No of bags per marks
source	<pre><xs:element name="numberOfBags" type="xs:integer"> <xs:annotation> <xs:documentation>No of bags per marks</xs:documentation> </xs:annotation> </xs:element></pre>

element **OrganizationIdentification**

diagram	 <p>Unique Identification for the organization</p>
type	xs:string
used by	elements Broker Buyer Parties/DeliverTo InstructionalInformation/DeliveryLocation InstructionalInformation/DeliveryOnAccountof Parties/ReleaseTo InstructionalInformation/RetieringForAccountOf Seller InstructionalInformation/Weighing/Weigher
annotation	documentation Unique Identification for the organization
source	<pre><xs:element name="OrganizationIdentification" type="xs:string"> <xs:annotation> <xs:documentation>Unique Identification for the organization</xs:documentation> </xs:annotation> </xs:element></pre>

element **organizationName**

diagram	 <p>Full Legal name of the organization</p>
type	restriction of xs:string
used by	elements Broker Buyer Parties/DeliverTo InstructionalInformation/DeliveryLocation InstructionalInformation/DeliveryOnAccountof Parties/ReleaseTo InstructionalInformation/RetieringForAccountOf Seller InstructionalInformation/Weighing/Weigher
facets	maxLength 50
annotation	documentation Full Legal name of the organization
source	<pre><xs:element name="organizationName"> <xs:annotation> <xs:documentation>Full Legal name of the organization</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="50"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

	<pre> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---

element packagingType

diagram	
type	restriction of xs:string
used by	element Quantity
facets	enumeration BGS enumeration CT enumeration BLK enumeration SS enumeration BTD
annotation	documentation Describes how the coffee is to be packaged. E.g. Bags, Bulk, etc.
source	<pre> <xs:element name="packagingType"> <xs:annotation> <xs:documentation>Describes how the coffee is to be packaged. E.g. Bags, Bulk, etc.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="BGS"/> <xs:enumeration value="CT"/> <xs:enumeration value="BLK"/> <xs:enumeration value="SS"/> <xs:enumeration value="BTD"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element Parties


<p>diagram</p>	<p>Parties Various parties involved in the business transaction to which this document pertains</p> <p>Seller Name, address and identification of the Seller on the contract.</p> <p>Buyer Name and address of the Buyer on the contract</p> <p>Broker Broker associated with the Contract, if any</p> <p>ReleaseTo Organization to which the Coffee should be released as per this Delivery Order, e.g. a Trucking / Transport Company</p> <p>DeliverTo Name and address of the organization to which the Coffee should be delivered</p>
<p>children</p>	<p>Seller Buyer Broker ReleaseTo DeliverTo</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation Various parties involved in the business transaction to which this document pertains</p>
<p>source</p>	<pre> <xs:element name="Parties"> <xs:annotation> <xs:documentation>Various parties involved in the business transaction to which this document pertains</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Seller" minOccurs="0"/> <xs:element ref="Buyer"/> <xs:element ref="Broker" minOccurs="0"/> <xs:element name="ReleaseTo" minOccurs="0"> <xs:annotation> <xs:documentation>Organization to which the Coffee should be released as per this Delivery Order, e.g. a Trucking / Transport Company</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="DeliverTo"> <xs:annotation> <xs:documentation>Name and address of the organization to which the Coffee should be delivered</xs:documentation> </xs:annotation> <xs:complexType> </pre>

```


<xs:sequence>
  <xs:element ref="organizationName"/>
  <xs:element ref="OrganizationIdentification" minOccurs="0"/>
  <xs:element ref="AddressInformation" minOccurs="0"/>
  <xs:element ref="ContactDetails" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```


element Parties/ReleaseTo

<p>diagram</p>  <p>ReleaseTo Organization to which the Coffee should be released as per this Delivery Order, e.g. a Trucking / Transport Company</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique Identification for the organization</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>	
<p>children</p>	<p>organizationName OrganizationIdentification AddressInformation ContactDetails</p>
<p>annotation</p>	<p>documentation Organization to which the Coffee should be released as per this Delivery Order, e.g. a Trucking / Transport Company</p>
<p>source</p>	<pre> <xs:element name="ReleaseTo" minOccurs="0"> <xs:annotation> <xs:documentation>Organization to which the Coffee should be released as per this Delivery Order, e.g. a Trucking / Transport Company</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element Parties/DeliverTo

<p>diagram</p>  <p>DeliverTo Name and address of the organization to which the Coffee should be delivered</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique Identification for the organization</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>	
<p>children</p>	<p>organizationName OrganizationIdentification AddressInformation ContactDetails</p>
<p>annotation</p>	<p>documentation Name and address of the organization to which the Coffee should be delivered</p>
<p>source</p>	<pre><xs:element name="DeliverTo"> <xs:annotation> <xs:documentation>Name and address of the organization to which the Coffee should be delivered</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element PlaceOfDischarge

<p>diagram</p>  <p>PlaceOfDischarge Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road.</p> <p>locationCode Harmonized Location Code for the location</p> <p>locationName Descriptive name associated with the location, e.g. - Continental Warehouse, New York</p>	
--	--

children	locationCode locationName
used by	element RoutingSummary
annotation	documentation Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road.
source	<pre> <xs:element name="PlaceOfDischarge"> <xs:annotation> <xs:documentation>Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **PlaceOfLoading**


diagram	
children	locationCode locationName
used by	element RoutingSummary
annotation	documentation Port of Loading for Sea Transportation or Place where coffee is loaded for Rail/Road
source	<pre> <xs:element name="PlaceOfLoading"> <xs:annotation> <xs:documentation>Port of Loading for Sea Transportation or Place where coffee is loaded for Rail/Road</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **positionOfSale**


diagram	
type	restriction of xs:string
used by	element MoveOrDeliverPeriod
facets	enumeration Afloat enumeration Arrival enumeration Arrival or Delivery at Seller's option

	enumeration Crossing enumeration DAF enumeration Delivery enumeration Ship enumeration Spot
annotation	documentation Whether it is Shipment, Delivery or afloat basis
source	<pre> <xs:element name="positionOfSale"> <xs:annotation> <xs:documentation>Whether it is Shipment, Delivery or afloat basis</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Afloat"/> <xs:enumeration value="Arrival"/> <xs:enumeration value="Arrival or Delivery at Seller's option"/> <xs:enumeration value="Crossing"/> <xs:enumeration value="DAF"/> <xs:enumeration value="Delivery"/> <xs:enumeration value="Ship"/> <xs:enumeration value="Spot"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element product


diagram	
type	xs:string
used by	element ProductQuality
annotation	documentation General Product Description. Harmonized code that identifies the commodity being shipped
source	<pre> <xs:element name="product" type="xs:string"> <xs:annotation> <xs:documentation>General Product Description. Harmonized code that identifies the commodity being shipped</xs:documentation> </xs:annotation> </xs:element> </pre>

element ProductDescription


diagram	
children	productDescriptionText
annotation	documentation Technical Reference to a description for the coffee, e.g - Santos 2/3
source	<pre> <xs:element name="ProductDescription"> <xs:annotation> <xs:documentation>Technical Reference to a description for the coffee, e.g - Santos 2/3 </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="productDescriptionText"> </pre>

	<pre> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element ProductDescription/productDescriptionText

diagram	 <p>productDescriptionText Technical description for the Coffee, e.g. Santos 2/3</p>
annotation	documentation Technical description for the Coffee, e.g. Santos 2/3
source	<pre> <xs:element name="productDescriptionText"> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element> </pre>

element ProductQuality

diagram	 <p>ProductQuality Group element collecting the different elements that are used to uniquely describe the Coffee and quality</p> <ul style="list-style-type: none"> product General Product Description. Harmonized code that identifies the commodity being shipped CountryOfOrigin Country of the original port from which the shipment takes place. cropYear Year in which the crop was harvested. ProductDescription Technical Reference to a description for the coffee, e.g - Santos 2/3
children	product CountryOfOrigin cropYear ProductDescription
used by	element Consignment
annotation	documentation Group element collecting the different elements that are used to uniquely describe the Coffee and quality
source	<pre> <xs:element name="ProductQuality"> <xs:annotation> <xs:documentation>Group element collecting the different elements that are used to uniquely describe the Coffee and quality</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="product"/> <xs:element ref="CountryOfOrigin" minOccurs="0"/> <xs:element ref="cropYear" minOccurs="0"/> <xs:element name="ProductDescription"> </pre>

	<pre> <xs:annotation> <xs:documentation>Technical Reference to a description for the coffee, e.g - Santos 2/3 </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="ProductDescriptionCode" minOccurs="0"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element> <xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="productDescriptionText"> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element ProductQuality/ProductDescription

diagram	<p>The diagram shows a container element ProductDescription (Technical Reference to a description for the coffee, e.g - Santos 2/3) containing two child elements: ProductDescriptionCode (Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.) and productDescriptionText (Technical description for the Coffee, e.g. Santos 2/3).</p>
children	ProductDescriptionCode productDescriptionText
annotation	documentation Technical Reference to a description for the coffee, e.g - Santos 2/3
source	<pre> <xs:element name="ProductDescription"> <xs:annotation> <xs:documentation>Technical Reference to a description for the coffee, e.g - Santos 2/3 </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="ProductDescriptionCode" minOccurs="0"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</xs:documentation> </pre>

	<pre> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element> <xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="productDescriptionText"> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element **ProductQuality/ProductDescription/ProductDescriptionCode**

diagram	<pre> classDiagram class ProductDescriptionCode { codeReferenceType codeValue } ProductDescriptionCode --> codeReferenceType ProductDescriptionCode --> codeValue class codeReferenceType { TLM documentation: Reference to the System or Organization or Standard which defines the code value, e.g. TLM } class codeValue { documentation: Unique code reference to the technical description of the Coffee } </pre>
children	codeReferenceType codeValue
annotation	documentation Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.
source	<pre> <xs:element name="ProductDescriptionCode" minOccurs="0"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element> <xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **ProductQuality/ProductDescription/ProductDescriptionCode/codeReferenceType**

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;">codeReferenceType</div> Reference to the System or Organization or Standard which defines the code value, e.g. TLM
annotation	documentation Reference to the System or Organization or Standard which defines the code value, e.g. TLM
source	<pre> <xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element> </pre>

element **ProductQuality/ProductDescription/ProductDescriptionCode/codeValue**

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;">codeValue</div> Unique code reference to the technical description of the Coffee
type	xs:string
annotation	documentation Unique code reference to the technical description of the Coffee
source	<pre> <xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element> </pre>

element **ProductQuality/ProductDescription/productDescriptionText**

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;">productDescriptionText</div> Technical description for the Coffee, e.g. Santos 2/3
annotation	documentation Technical description for the Coffee, e.g. Santos 2/3
source	<pre> <xs:element name="productDescriptionText"> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element> </pre>

element **Quantity**


diagram	<p>Quantity Quantity being shipped expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.</p> <p>quantityValue Numeric value including decimal places of the quantity, Example - 1000</p> <p>quantityUnits Units associated with the quantity. E.g.69 Kg Bags</p> <p>packagingType Describes how the coffee is to be packaged. E.g. Bags, Bulk, etc.</p>
children	quantityValue quantityUnits packagingType
used by	element Consignment
annotation	documentation Quantity being shipped expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.
source	<pre> <xs:element name="Quantity"> <xs:annotation> <xs:documentation>Quantity being shipped expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="quantityValue"/> <xs:element ref="quantityUnits"/> <xs:element ref="packagingType"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **quantityUnits**


diagram	<p>quantityUnits Units associated with the quantity. E.g.69 Kg Bags</p>
type	restriction of xs:string
used by	element Quantity
facets	enumeration 60KB enumeration 69KB enumeration 70KB enumeration MT enumeration LBS enumeration KGS enumeration 46KB
annotation	documentation Units associated with the quantity. E.g.69 Kg Bags
source	<pre> <xs:element name="quantityUnits"> <xs:annotation> <xs:documentation>Units associated with the quantity. E.g.69 Kg Bags</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="60KB"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

	<pre> <xs:enumeration value="69KB"/> <xs:enumeration value="70KB"/> <xs:enumeration value="MT"/> <xs:enumeration value="LBS"/> <xs:enumeration value="KGS"/> <xs:enumeration value="46KB"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---


element quantityValue

diagram	 <p>quantityValue</p> <p>Numeric value including decimal places of the quantity. Example - 1000</p>
type	xs:double
used by	element Quantity
annotation	documentation Numeric value including decimal places of the quantity. Example - 1000
source	<pre> <xs:element name="quantityValue" type="xs:double"> <xs:annotation> <xs:documentation>Numeric value including decimal places of the quantity. Example - 1000</xs:documentation> </xs:annotation> </xs:element> </pre>

element railCarNumber

diagram	 <p>railCarNumber</p> <p>Unique identification of a rail car on which cargo is being shipped</p>
type	xs:string
used by	element RoutingSummary/MeansOfTransport/RailTransportIdentification
annotation	documentation Unique identification of a rail car on which cargo is being shipped
source	<pre> <xs:element name="railCarNumber" type="xs:string"> <xs:annotation> <xs:documentation>Unique identification of a rail car on which cargo is being shipped</xs:documentation> </xs:annotation> </xs:element> </pre>

element responsibilityOfWeighing

diagram	 <p>responsibilityOfWeighing</p> <p>The party responsible for paying the weighing charges - buyer or seller</p>
type	restriction of xs:string
used by	element InstructionalInformation/Weighing
facets	enumeration Buyer enumeration Seller
annotation	documentation The party responsible for paying the weighing charges - buyer or seller

source	<pre><xs:element name="responsibilityOfWeighing"> <xs:annotation> <xs:documentation>The party responsible for paying the weighing charges - buyer or seller</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Buyer"/> <xs:enumeration value="Seller"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
--------	---

element **RoutingSummary**

<p>diagram</p>	<p>RoutingSummary Details of the means of transportation, and associated references, describing how this shipment is transported</p> <ul style="list-style-type: none"> MeansOfTransport Identification information pertaining to the means of transport. PlaceOfOrigin Point of origin of the cargo, e.g. - inland Container terminal PlaceOfLoading Port of Loading for Sea Transportation or Place where coffee is loaded for Rail/Road BillOfLadingIdentifier Identification provided on the Bill of Lading billOfLadingDate Date when the Bill of Lading was issued. PlaceOfDischarge Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road. LocationOfStock Location of Coffee where the coffee is lying CountryOfDestination Country of the Delivery Location dateOfArrivalAtDestination Arrival Date of shipment at destination. estimatedDateOfAvailability Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.
<p>children</p>	<p>MeansOfTransport PlaceOfOrigin PlaceOfLoading BillOfLadingIdentifier billOfLadingDate PlaceOfDischarge LocationOfStock CountryOfDestination dateOfArrivalAtDestination estimatedDateOfAvailability</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation Details of the means of transportation, and associated references, describing how this shipment is transported</p>
<p>source</p>	<pre><xs:element name="RoutingSummary"> <xs:annotation></pre>

```

<xs:documentation>Details of the means of transportation, and associated references, describing how this shipment is
transported</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element name="MeansOfTransport" minOccurs="0">
<xs:annotation>
<xs:documentation>Identification information pertaining to the means of transport. </xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:choice>
<xs:element name="SeaTransportIdentification">
<xs:annotation>
<xs:documentation>Identification of the vessel and voyage if the shipment is made via sea/ocean
transport.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element name="Voyage" maxOccurs="unbounded">
<xs:annotation>
<xs:documentation>Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder
and Main Vessel segments.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element ref="Vessel"/>
<xs:element ref="voyageNumber" minOccurs="0"/>
<xs:element name="estimatedDateOfArrivalAtDestination" type="xs:date">
<xs:annotation>
<xs:documentation>Estimated Date of Arrival of shipment at destination.</xs:documentation>
</xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="RailTransportIdentification">
<xs:annotation>
<xs:documentation>Identification of the rail car if the shipment is transported by rail</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element name="carrier" type="xs:string">
<xs:annotation>
<xs:documentation>Name of the carrier / Railroad organisation, e.g. Norfolk Southern</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element ref="locomotiveNumber"/>
<xs:element ref="railCarNumber"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="RoadTransportIdentification">
<xs:annotation>
<xs:documentation>Identification of the truck or other vehicle, if this shipment is transported overland via
road.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element name="carrier" type="xs:string">
<xs:annotation>
<xs:documentation>Name of the carrier / trucking organisation, e.g. Allied Van Lines</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="licensePlateNumber" type="xs:string">
<xs:annotation>
<xs:documentation>License Plate Number of the truck</xs:documentation>
</xs:annotation>


```

```

        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:choice>
</xs:complexType>
</xs:element>
<xs:element name="PlaceOfOrigin" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Point of origin of the cargo, e.g. - inland Container terminal </xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="locationCode"/>
      <xs:element ref="locationName"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element ref="PlaceOfLoading" minOccurs="0"/>
<xs:element ref="BillOfLadingIdentifier" minOccurs="0"/>
<xs:element ref="billOfLadingDate" minOccurs="0"/>
<xs:element ref="PlaceOfDischarge"/>
<xs:element ref="LocationOfStock"/>
<xs:element ref="CountryOfDestination" minOccurs="0"/>
<xs:element ref="dateOfArrivalAtDestination"/>
<xs:element ref="estimatedDateOfAvailability" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element RoutingSummary/MeansOfTransport



children [SeaTransportIdentification](#) [RailTransportIdentification](#) [RoadTransportIdentification](#)

annotation documentation Identification information pertaining to the means of transport.

```

source
<xs:element name="MeansOfTransport" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Identification information pertaining to the means of transport. </xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:choice>
      <xs:element name="SeaTransportIdentification">
        <xs:annotation>
          <xs:documentation>Identification of the vessel and voyage if the shipment is made via sea/ocean transport.</xs:documentation>
        </xs:annotation>
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Voyage" maxOccurs="unbounded">
              <xs:annotation>

```

```

    <xs:documentation>Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder and
Main Vessel segments.</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Vessel"/>
      <xs:element ref="voyageNumber" minOccurs="0"/>
      <xs:element name="estimatedDateOfArrivalAtDestination" type="xs:date">
        <xs:annotation>
          <xs:documentation>Estimated Date of Arrival of shipment at destination.</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="RailTransportIdentification">
  <xs:annotation>
    <xs:documentation>Identification of the rail car if the shipment is transported by rail</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="carrier" type="xs:string">
        <xs:annotation>
          <xs:documentation>Name of the carrier / Railroad organisation, e.g. Norfolk Southern</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element ref="locomotiveNumber"/>
      <xs:element ref="railCarNumber"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="RoadTransportIdentification">
  <xs:annotation>
    <xs:documentation>Identification of the truck or other vehicle, if this shipment is transported overland via
road.</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="carrier" type="xs:string">
        <xs:annotation>
          <xs:documentation>Name of the carrier / trucking organisation, e.g. Allied Van Lines</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="licensePlateNumber" type="xs:string">
        <xs:annotation>
          <xs:documentation>License Plate Number of the truck</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:choice>
</xs:complexType>
</xs:element>

```

element **RoutingSummary/MeansOfTransport/SeaTransportIdentification**

diagram	<p>SeaTransportIdentification Identification of the vessel and voyage if the shipment is made via sea/ocean transport.</p> <p>Voyage 1..∞ Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder and Main Vessel segments.</p>
children	Voyage
annotation	documentation Identification of the vessel and voyage if the shipment is made via sea/ocean transport.
source	<pre> <xs:element name="SeaTransportIdentification"> <xs:annotation> <xs:documentation>Identification of the vessel and voyage if the shipment is made via sea/ocean transport.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="Voyage" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder and Main Vessel segments.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Vessel"/> <xs:element ref="voyageNumber" minOccurs="0"/> <xs:element name="estimatedDateOfArrivalAtDestination" type="xs:date"> <xs:annotation> <xs:documentation>Estimated Date of Arrival of shipment at destination.</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>


element RoutingSummary/MeansOfTransport/SeaTransportIdentification/Voyage

diagram	<p>Voyage Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder and Main Vessel segments.</p> <p>Vessel Identifying details of the vessel and voyage.</p> <p>voyageNumber Unique identifier or reference for the voyage by the specified Vessel, as provided by the Shipping Line</p> <p>estimatedDateOfArrivalAtDestina... Estimated Date of Arrival of shipment at destination.</p>
children	Vessel voyageNumber estimatedDateOfArrivalAtDestination
annotation	documentation Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder and Main Vessel segments.
source	<pre> <xs:element name="Voyage" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Details of the Vessel and voyage. Can have multiple entries to provide details of Feeder and Main </pre>


	<pre> Vessel segments.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Vessel"/> <xs:element ref="voyageNumber" minOccurs="0"/> <xs:element name="estimatedDateOfArrivalAtDestination" type="xs:date"> <xs:annotation> <xs:documentation>Estimated Date of Arrival of shipment at destination.</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element

RoutingSummary/MeansOfTransport/SeaTransportIdentification/Voyage/estimatedDateOfArrivalAtDestination

diagram	
type	xs:date
annotation	documentation Estimated Date of Arrival of shipment at destination.
source	<pre> <xs:element name="estimatedDateOfArrivalAtDestination" type="xs:date"> <xs:annotation> <xs:documentation>Estimated Date of Arrival of shipment at destination.</xs:documentation> </xs:annotation> </xs:element> </pre>

element RoutingSummary/MeansOfTransport/RailTransportIdentification

diagram	
children	carrier locomotiveNumber railCarNumber
annotation	documentation Identification of the rail car if the shipment is transported by rail
source	<pre> <xs:element name="RailTransportIdentification"> <xs:annotation> <xs:documentation>Identification of the rail car if the shipment is transported by rail</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="carrier" type="xs:string"> <xs:annotation> <xs:documentation>Name of the carrier / Railroad organisation, e.g. Norfolk Southern</xs:documentation> </pre>

	<pre> </xs:annotation> </xs:element> <xs:element ref="locomotiveNumber"/> <xs:element ref="railCarNumber"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---


element RoutingSummary/MeansOfTransport/RailTransportIdentification/carrier

diagram	
type	xs:string
annotation	documentation Name of the carrier / Railroad organisation, e.g. Norfolk Southern
source	<pre> <xs:element name="carrier" type="xs:string"> <xs:annotation> <xs:documentation>Name of the carrier / Railroad organisation, e.g. Norfolk Southern</xs:documentation> </xs:annotation> </xs:element> </pre>


element RoutingSummary/MeansOfTransport/RoadTransportIdentification

diagram	
children	carrier licensePlateNumber
annotation	documentation Identification of the truck or other vehicle, if this shipment is transported overland via road.
source	<pre> <xs:element name="RoadTransportIdentification"> <xs:annotation> <xs:documentation>Identification of the truck or other vehicle, if this shipment is transported overland via road.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="carrier" type="xs:string"> <xs:annotation> <xs:documentation>Name of the carrier / trucking organisation, e.g. Allied Van Lines</xs:documentation> </xs:annotation> </xs:element> <xs:element name="licensePlateNumber" type="xs:string"> <xs:annotation> <xs:documentation>License Plate Number of the truck</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>


element **RoutingSummary/MeansOfTransport/RoadTransportIdentification/carrier**

diagram	
type	xs:string
annotation	documentation Name of the carrier / trucking organisation, e.g. Allied Van Lines
source	<pre><xs:element name="carrier" type="xs:string"> <xs:annotation> <xs:documentation>Name of the carrier / trucking organisation, e.g. Allied Van Lines</xs:documentation> </xs:annotation> </xs:element></pre>

element **RoutingSummary/MeansOfTransport/RoadTransportIdentification/licensePlateNumber**


diagram	
type	xs:string
annotation	documentation License Plate Number of the truck
source	<pre><xs:element name="licensePlateNumber" type="xs:string"> <xs:annotation> <xs:documentation>License Plate Number of the truck</xs:documentation> </xs:annotation> </xs:element></pre>

element **RoutingSummary/PlaceOfOrigin**


diagram	
children	locationCode locationName
annotation	documentation Point of origin of the cargo, e.g. - inland Container terminal
source	<pre><xs:element name="PlaceOfOrigin" minOccurs="0"> <xs:annotation> <xs:documentation>Point of origin of the cargo, e.g. - inland Container terminal </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType></pre>

	</xs:element>
--	---------------

element seal


diagram	 <p>Container seal number</p>
type	xs:string
used by	element ContainerIdentifiers
annotation	documentation Container seal number
source	<pre><xs:element name="seal" type="xs:string"> <xs:annotation> <xs:documentation>Container seal number</xs:documentation> </xs:annotation> </xs:element></pre>

element Seller


diagram	
children	organizationName OrganizationIdentification AddressInformation ContactDetails
used by	element Parties
annotation	documentation Name, address and identification of the Seller on the contract.
source	<pre><xs:element name="Seller"> <xs:annotation> <xs:documentation>Name, address and identification of the Seller on the contract.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--


element **sellerContractIdentifier**

diagram	
type	xs:string
used by	element GeneralInformation
annotation	documentation Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System
source	<pre> <xs:element name="sellerContractIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</xs:documentation> </xs:annotation> </xs:element> </pre>


element **ShipmentMark**

diagram	
children	icoMark additionalMark numberOfBags
used by	element ContainerIdentifiers
annotation	documentation ICO or other marks used to mark the shipment
source	<pre> <xs:element name="ShipmentMark"> <xs:annotation> <xs:documentation>ICO or other marks used to mark the shipment</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="icoMark" minOccurs="0"/> <xs:element ref="additionalMark" minOccurs="0"/> <xs:element ref="numberOfBags" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>


element **startDate**

diagram	 <p>start date of the period</p>
type	xs:date
used by	element MoveOrDeliverPeriod
annotation	documentation start date of the period
source	<pre><xs:element name="startDate" type="xs:date"> <xs:annotation> <xs:documentation>start date of the period</xs:documentation> </xs:annotation> </xs:element></pre>

element **status**

diagram	 <p>Status of this document. Possible values are Draft, Final or Amended. Amended is to be used if this document is an amended version of an earlier Final document.</p>
type	list of xs:string
used by	element Header
annotation	documentation Status of this document. Possible values are Draft, Final or Amended. Amended is to be used if this document is an amended version of an earlier Final document.
source	<pre><xs:element name="status"> <xs:annotation> <xs:documentation>Status of this document. Possible values are Draft, Final or Amended. Amended is to be used if this document is an amended version of an earlier Final document.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:list itemType="xs:string"/> </xs:simpleType> </xs:element></pre>

element **value**

diagram	 <p>A Numeric value</p>
type	xs:decimal
used by	elements GrossWeight NetWeight
annotation	documentation A Numeric value
source	<pre><xs:element name="value" type="xs:decimal"> <xs:annotation> <xs:documentation>A Numeric value</xs:documentation> </xs:annotation> </xs:element></pre>


element Vessel

diagram	
children	vesselName carrier vesselFunction
used by	element RoutingSummary/MeansOfTransport/SeaTransportIdentification/Voyage
annotation	documentation Identifying details of the vessel and voyage.
source	<pre> <xs:element name="Vessel"> <xs:annotation> <xs:documentation>Identifying details of the vessel and voyage.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="vesselName"/> <xs:element name="carrier" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Carrier Name. e.g. - APL </xs:documentation> </xs:annotation> </xs:element> <xs:element name="vesselFunction" minOccurs="0"> <xs:annotation> <xs:documentation>Feeder or Main Vessel</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Feeder"/> <xs:enumeration value="Main"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>


element Vessel/carrier

diagram	
type	xs:string
annotation	documentation Carrier Name. e.g. - APL
source	<pre> <xs:element name="carrier" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Carrier Name. e.g. - APL </xs:documentation> </xs:annotation> </xs:element> </pre>


element **Vessel/vesselFunction**

diagram	
type	restriction of xs:string
facets	enumeration Feeder enumeration Main
annotation	documentation Feeder or Main Vessel
source	<pre> <xs:element name="vesselFunction" minOccurs="0"> <xs:annotation> <xs:documentation>Feeder or Main Vessel</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Feeder"/> <xs:enumeration value="Main"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element **vesselName**

diagram	
type	xs:string
used by	element Vessel
annotation	documentation Name of the ship or vessel. e.g. - Maserk Integrity
source	<pre> <xs:element name="vesselName" type="xs:string"> <xs:annotation> <xs:documentation>Name of the ship or vessel. e.g. - Maserk Integrity</xs:documentation> </xs:annotation> </xs:element> </pre>

element **voyageNumber**

diagram	
type	xs:string
used by	element RoutingSummary/MeansOfTransport/SeaTransportIdentification/Voyage
annotation	documentation Unique identifier or reference for the voyage by the specified Vessel, as provided by the Shipping Line
source	<pre> <xs:element name="voyageNumber" type="xs:string"> <xs:annotation> <xs:documentation>Unique identifier or reference for the voyage by the specified Vessel, as provided by the Shipping Line</xs:documentation> </xs:annotation> </pre>

</xs:element>

element WeighingMethod


diagram	<p>Weighing method agreed upon in the contract. For example, NSW 0.5 (Net Shipped Weights 0.5% franchise). Consists of a code and description.</p>
children	weighingMethodCode weighingMethodDescription
used by	element InstructionalInformation/Weighing
annotation	documentation Weighing method agreed upon in the contract. For example, NSW 0.5 (Net Shipped Weights 0.5% franchise). Consists of a code and description.
source	<pre> <xs:element name="WeighingMethod"> <xs:annotation> <xs:documentation>Weighing method agreed upon in the contract. For example, NSW 0.5 (Net Shipped Weights 0.5% franchise). Consists of a code and description.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="weighingMethodCode" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="NULL"/> <xs:enumeration value="SW 0.5"/> <xs:enumeration value="SW 1"/> <xs:enumeration value="LW"/> <xs:enumeration value="DW"/> <xs:enumeration value="PW"/> <xs:enumeration value="RW"/> <xs:enumeration value="SiW"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="weighingMethodDescription" type="xs:string"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element WeighingMethod/weighingMethodCode


diagram	
type	restriction of xs:string
facets	<p>enumeration NULL</p> <p>enumeration SW 0.5</p> <p>enumeration SW 1</p> <p>enumeration LW</p> <p>enumeration DW</p> <p>enumeration PW</p> <p>enumeration RW</p> <p>enumeration SiW</p>
source	<pre> <xs:element name="weighingMethodCode" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> </pre>

	<pre> <xs:enumeration value="NULL"/> <xs:enumeration value="SW 0.5"/> <xs:enumeration value="SW 1"/> <xs:enumeration value="LW"/> <xs:enumeration value="DW"/> <xs:enumeration value="PW"/> <xs:enumeration value="RW"/> <xs:enumeration value="SiW"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	--

element **WeighingMethod/weighingMethodDescription**

diagram	
type	xs:string
source	<code><xs:element name="weighingMethodDescription" type="xs:string"/></code>

element **weightUnitCode**

diagram	 Harmonized weight unit code
type	restriction of xs:string
used by	elements GrossWeight NetWeight
facets	enumeration MT enumeration LBS enumeration KGS enumeration 46KB enumeration 60KB enumeration 69KB enumeration 70KB enumeration 75KB
annotation	documentation Harmonized weight unit code
source	<pre> <xs:element name="weightUnitCode"> <xs:annotation> <xs:documentation>Harmonized weight unit code</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="MT"/> <xs:enumeration value="LBS"/> <xs:enumeration value="KGS"/> <xs:enumeration value="46KB"/> <xs:enumeration value="60KB"/> <xs:enumeration value="69KB"/> <xs:enumeration value="70KB"/> <xs:enumeration value="75KB"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>