

Schema **SampleOrder_NCA.xsd**

schema location: D:\siva\NCA XMLs REV\SampleOrder_NCA.xsd

Elements

[AdditionalInformation](#)

[additionalMark](#)

[AddressInformation](#)

[billOfLadingDate](#)

[BillOfLadingIdentifier](#)

[Body](#)

[Broker](#)

[brokerContractIdentifier](#)

[Buyer](#)

[buyerContractIdentifier](#)

[Consignment](#)

[ConsignmentDetails](#)

[ConsignmentIdentifiers](#)

[ContactDetails](#)

[Container](#)

[containerIdentification](#)

[containerType](#)

[ContractIdentifier](#)

[contractType](#)

[CountryOfDestination](#)

[CountryOfOrigin](#)

[cropYear](#)

[documentCreatorIdentifier](#)

[documentID](#)

[documentNumber](#)

[documentVersion](#)

[e-TransactionNumber](#)

[endDate](#)

[estimatedDateOfArrivalAtDestination](#)

[estimatedDateOfAvailability](#)

[GeneralInformation](#)

[GrossWeight](#)

[Header](#)

[icoMark](#)

[InstructionalInformation](#)

[line](#)

[locationCode](#)

[locationName](#)

[LocationOfStock](#)

[locomotiveNumber](#)

[MeansOfTransport](#)

[MoveOrDeliverPeriod](#)

[NetWeight](#)

[numberOfBags](#)

[OrganizationIdentification](#)

[organizationName](#)

[packagingType](#)

[Parties](#)

[PlaceOfDischarge](#)

[PlaceOfLoading](#)

[positionOfSale](#)

[product](#)

[ProductDescription](#)

[ProductQuality](#)

[QuantityAvailableForSampling](#)

[quantityUnits](#)

[quantityValue](#)

[railCarNumber](#)


[RailTransportIdentification](#)

[responsibilityOfWeighing](#)


[RoadTransportIdentification](#)

[RoutingSummary](#)
[SampleOrder](#)
[seal](#)
[SeaTransportIdentification](#)
[Seller](#)
[sellerContractIdentifier](#)
[ShipmentMark](#)
[startDate](#)
[status](#)
[value](#)
[vesselName](#)
[voyageNumber](#)
[WeighingMethod](#)
[weightUnitCode](#)

element **AdditionalInformation**

diagram	 <p>Remarks or other information relating to the Sample Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.</p>
type	xs:string
used by	element Body
annotation	documentation Remarks or other information relating to the Sample Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.
source	<pre> <xs:element name="AdditionalInformation" type="xs:string"> <xs:annotation> <xs:documentation>Remarks or other information relating to the Sample Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.</xs:documentation> </xs:annotation> </xs:element> </pre>

element **additionalMark**


diagram	 <p>Other shipment marks used to identify the coffee.</p>
type	xs:string
used by	element ShipmentMark
annotation	documentation Other shipment marks used to identify the coffee.
source	<pre> <xs:element name="additionalMark" type="xs:string"> <xs:annotation> <xs:documentation>Other shipment marks used to identify the coffee.</xs:documentation> </xs:annotation> </xs:element> </pre>

element **AddressInformation**

<p>diagram</p>	<p>AddressInformation</p> <p>Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>FormattedAddress</p> <p>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</p> <p>NormalisedAddress</p> <p>Structured address format with address elements in distinct named elements</p>
<p>children</p>	<p>FormattedAddress NormalisedAddress</p>
<p>used by</p>	<p>elements Broker Buyer Parties/DeliverSamplesTo Parties/Sampler InstructionalInformation/SamplingOnAccountOf Seller</p>
<p>annotation</p>	<p>documentation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p>
<p>source</p>	<pre> <xs:element name="AddressInformation"> <xs:annotation> <xs:documentation>Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="FormattedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="NormalisedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Structured address format with address elements in distinct named elements</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="StreetAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Door numner, street name, suite number etc part of the address within the city.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

	<pre> <xs:element name="city" type="xs:string"> <xs:annotation> <xs:documentation>Name of the city</xs:documentation> </xs:annotation> </xs:element> <xs:element name="StateOrProvince" minOccurs="0"> <xs:annotation> <xs:documentation>State or Province name</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="stateOrProvinceCode" type="xs:string"/> <xs:element name="stateOrProvinceName" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="Country"> <xs:annotation> <xs:documentation>Country in which the address exists. Should be either a universal code or name of the country</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="countryName" type="xs:string"/> <xs:element name="countryCode" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="postalCode" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Postal code or zip part of the address</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element AddressInformation/FormattedAddress

<p>diagram</p>	 <p>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</p>
<p>children</p>	<p>line</p>
<p>annotation</p>	<p>documentation Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</p>
<p>source</p>	<pre> <xs:element name="FormattedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Free form representation of the address provided as 1 or more lines of text, formatted in the way it is to be presented.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **AddressInformation/NormalisedAddress**

<p>diagram</p>	
<p>children</p>	<p>StreetAddress city StateOrProvince Country postalCode</p>
<p>annotation</p>	<p>documentation Structured address format with address elements in distinct named elements</p>
<p>source</p>	<pre> <xs:element name="NormalisedAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Structured address format with address elements in distinct named elements</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="StreetAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Door number, street name, suite number etc part of the address within the city.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="city" type="xs:string"> <xs:annotation> <xs:documentation>Name of the city</xs:documentation> </xs:annotation> </xs:element> <xs:element name="StateOrProvince" minOccurs="0"> <xs:annotation> <xs:documentation>State or Province name</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="stateOrProvinceCode" type="xs:string"/> <xs:element name="stateOrProvinceName" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="Country"> <xs:annotation> <xs:documentation>Country in which the address exists. Should be either a universal code or name of the </pre>

	<pre> country</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="countryName" type="xs:string"/> <xs:element name="countryCode" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> <xs:element name="postalCode" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Postal code or zip part of the address</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element AddressInformation/NormalisedAddress/StreetAddress

diagram	
children	line
annotation	documentation Door nummer, street name, suite number etc part of the address within the city.
source	<pre> <xs:element name="StreetAddress" minOccurs="0"> <xs:annotation> <xs:documentation>Door nummer, street name, suite number etc part of the address within the city.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="line" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element AddressInformation/NormalisedAddress/city

diagram	
type	xs:string
annotation	documentation Name of the city
source	<pre> <xs:element name="city" type="xs:string"> <xs:annotation> <xs:documentation>Name of the city</xs:documentation> </xs:annotation> </xs:element> </pre>

element **AddressInformation/NormalisedAddress/StateOrProvince**

diagram	<p>State or Province name</p>
children	stateOrProvinceCode stateOrProvinceName
annotation	documentation State or Province name
source	<pre><xs:element name="StateOrProvince" minOccurs="0"> <xs:annotation> <xs:documentation>State or Province name</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="stateOrProvinceCode" type="xs:string"/> <xs:element name="stateOrProvinceName" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element></pre>

element **AddressInformation/NormalisedAddress/StateOrProvince/stateOrProvinceCode**

diagram	
type	xs:string
source	<pre><xs:element name="stateOrProvinceCode" type="xs:string"/></pre>

element **AddressInformation/NormalisedAddress/StateOrProvince/stateOrProvinceName**


diagram	
type	xs:string
source	<pre><xs:element name="stateOrProvinceName" type="xs:string"/></pre>

element **AddressInformation/NormalisedAddress/Country**


diagram	<p>Country in which the address exists. Should be either a universal code or name of the country</p>
children	countryName countryCode
annotation	documentation Country in which the address exists. Should be either a universal code or name of the country
source	<pre><xs:element name="Country"> <xs:annotation> <xs:documentation>Country in which the address exists. Should be either a universal code or name of the country</xs:documentation> </xs:annotation></pre>

	<pre> <xs:complexType> <xs:choice> <xs:element name="countryName" type="xs:string"/> <xs:element name="countryCode" type="xs:string"/> </xs:choice> </xs:complexType> </xs:element> </pre>
--	--


element **AddressInformation/NormalisedAddress/Country/countryName**

diagram	
type	xs:string
source	<code><xs:element name="countryName" type="xs:string"/></code>


element **AddressInformation/NormalisedAddress/Country/countryCode**

diagram	
type	xs:string
source	<code><xs:element name="countryCode" type="xs:string"/></code>

element **AddressInformation/NormalisedAddress/postalCode**

diagram	 <p>Postal code or zip part of the address</p>
type	xs:string
annotation	documentation Postal code or zip part of the address
source	<pre> <xs:element name="postalCode" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Postal code or zip part of the address</xs:documentation> </xs:annotation> </xs:element> </pre>

element **billOfLadingDate**

diagram	 <p>Date when the Bill of Lading was issued.</p>
type	xs:date
used by	element RoutingSummary
annotation	documentation Date when the Bill of Lading was issued.
source	<pre> <xs:element name="billOfLadingDate" type="xs:date"> <xs:annotation> <xs:documentation>Date when the Bill of Lading was issued.</xs:documentation> </xs:annotation> </xs:element> </pre>

element **BillOfLadingIdentifier**

<p>diagram</p>	
<p>children</p>	<p>documentCreatorIdentifier documentNumber documentVersion</p>
<p>used by</p>	<p>elements ConsignmentIdentifiers RoutingSummary</p>
<p>annotation</p>	<p>documentation Identification provided on the Bill of Lading</p>
<p>source</p>	<pre><xs:element name="BillOfLadingIdentifier"> <xs:annotation> <xs:documentation>Identification provided on the Bill of Lading</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="documentCreatorIdentifier" minOccurs="0"/> <xs:element ref="documentNumber"/> <xs:element ref="documentVersion" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **Body**

<p>diagram</p>	<p>GeneralInformation +</p> <p>References and other general information pertaining to the contract and this document.</p> <p>Parties +</p> <p>Parties involved in the business process or transaction pertaining to this document.</p> <p>RoutingSummary +</p> <p>Details of the means of transportation, and associated references, describing how this shipment is transported</p> <p>Consignment +</p> <p>Information about the consignment being offered for sampling.</p> <p>InstructionalInformation +</p> <p>Instructional information pertaining to this document</p> <p>AdditionalInformation</p> <p>Remarks or other information relating to the Sample Order. This is free form text and can be used to convey any other information not covered by any of the defined XML elements.</p>
<p>children</p>	<p>GeneralInformation Parties RoutingSummary Consignment InstructionalInformation AdditionalInformation</p>
<p>used by</p>	<p>element SampleOrder</p>
<p>source</p>	<pre><xs:element name="Body"> <xs:complexType> <xs:sequence> <xs:element ref="GeneralInformation"/> <xs:element ref="Parties"/> <xs:element ref="RoutingSummary"/> <xs:element ref="Consignment"/> <xs:element ref="InstructionalInformation" minOccurs="0"/> <xs:element ref="AdditionalInformation" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **Broker**

<p>diagram</p>	<p>Broker Name, address and identification of the organisation which is involved as a broker for this contract, if applicable.</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique reference to the organisation.</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
<p>children</p>	<p>organizationName OrganizationIdentification AddressInformation ContactDetails</p>
<p>used by</p>	<p>element Parties</p>
<p>annotation</p>	<p>documentation Name, address and identification of the organisation which is involved as a broker for this contract, if applicable.</p>
<p>source</p>	<pre><xs:element name="Broker"> <xs:annotation> <xs:documentation>Name, address and identification of the organisation which is involved as a broker for this contract, if applicable.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **brokerContractIdentifier**


<p>diagram</p>	<p>brokerContractIdentifier Broker's Contract Reference if a broker was involved with the issuance of the Contract.</p>
<p>type</p>	<p>xs:string</p>
<p>used by</p>	<p>element GeneralInformation</p>

annotation	documentation Broker's Contract Reference if a broker was involved with the issuance of the Contract.
source	<pre><xs:element name="brokerContractIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Broker's Contract Reference if a broker was involved with the issuance of the Contract.</xs:documentation> </xs:annotation> </xs:element></pre>


element Buyer

diagram	<p>Buyer Name, address and identification of the buyer on this contract.</p> <ul style="list-style-type: none"> organizationName Full Legal name of the organization OrganizationIdentification Unique reference to the organisation. AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines. ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.
children	organizationName OrganizationIdentification AddressInformation ContactDetails
used by	element Parties
annotation	documentation Name, address and identification of the buyer on this contract.
source	<pre><xs:element name="Buyer"> <xs:annotation> <xs:documentation>Name, address and identification of the buyer on this contract.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **buyerContractIdentifier**

diagram	 <p>Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p>
type	xs:string
used by	element GeneralInformation
annotation	documentation Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System
source	<pre><xs:element name="buyerContractIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</xs:documentation> </xs:annotation> </xs:element></pre>

element **Consignment**

diagram	 <p>Consignment Information about the consignment being offered for sampling.</p> <ul style="list-style-type: none"> QuantityAvailableForSampling Quantity being made available for sampling expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract. ProductQuality Group element collecting the different elements that are used to uniquely describe the Coffee and quality SamplingLocation Physical Location where the Coffee will be available for Sampling. Could be a Warehouse or Dock, etc. ConsignmentDetails Details of the consignment being offered on this Sample Order. CustomsReleaseDate Date Customs Releases the shipment FDAReleaseDate Date FDA Releases the shipment
children	QuantityAvailableForSampling ProductQuality SamplingLocation ConsignmentDetails CustomsReleaseDate FDAReleaseDate
used by	element Body


annotation	documentation Information about the consignment being offered for sampling.
source	<pre> <xs:element name="Consignment"> <xs:annotation> <xs:documentation>Information about the consignment being offered for sampling.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="QuantityAvailableForSampling"/> <xs:element ref="ProductQuality"/> <xs:element name="SamplingLocation"> <xs:annotation> <xs:documentation>Physical Location where the Coffee will be available for Sampling. Could be a Warehouse or Dock, etc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="placeName"> <xs:annotation> <xs:documentation>Continental Warehouse</xs:documentation> </xs:annotation> </xs:element> <xs:element name="placelocation"> <xs:annotation> <xs:documentation>New York</xs:documentation> </xs:annotation> </xs:element> <xs:element ref="locationCode" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element ref="ConsignmentDetails" minOccurs="0"/> <xs:element name="CustomsReleaseDate" minOccurs="0"> <xs:annotation> <xs:documentation>Date Customs Releases the shipment</xs:documentation> </xs:annotation> </xs:element> <xs:element name="FDAReleaseDate" minOccurs="0"> <xs:annotation> <xs:documentation>Date FDA Releases the shipment</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element Consignment/SamplingLocation


diagram	<pre> classDiagram class SamplingLocation { placeName placelocation locationCode } </pre>
children	placeName placelocation locationCode
annotation	documentation Physical Location where the Coffee will be available for Sampling. Could be a Warehouse or Dock, etc.
source	<pre> <xs:element name="SamplingLocation"> <xs:annotation> </pre>

	<pre> <xs:documentation>Physical Location where the Coffee will be available for Sampling. Could be a Warehouse or Dock, etc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="placeName"> <xs:annotation> <xs:documentation>Continental Warehouse</xs:documentation> </xs:annotation> </xs:element> <xs:element name="placelocation"> <xs:annotation> <xs:documentation>New York</xs:documentation> </xs:annotation> </xs:element> <xs:element ref="locationCode" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--


element Consignment/SamplingLocation/placeName

diagram	
annotation	documentation Continental Warehouse
source	<pre> <xs:element name="placeName"> <xs:annotation> <xs:documentation>Continental Warehouse</xs:documentation> </xs:annotation> </xs:element> </pre>


element Consignment/SamplingLocation/placelocation

diagram	
annotation	documentation New York
source	<pre> <xs:element name="placelocation"> <xs:annotation> <xs:documentation>New York</xs:documentation> </xs:annotation> </xs:element> </pre>

element Consignment/CustomsReleaseDate

diagram	
annotation	documentation Date Customs Releases the shipment
source	<pre> <xs:element name="CustomsReleaseDate" minOccurs="0"> <xs:annotation> <xs:documentation>Date Customs Releases the shipment</xs:documentation> </xs:annotation> </xs:element> </pre>

element Consignment/FDAReleaseDate


diagram	
annotation	documentation Date FDA Releases the shipment
source	<pre><xs:element name="FDAReleaseDate" minOccurs="0"> <xs:annotation> <xs:documentation>Date FDA Releases the shipment</xs:documentation> </xs:annotation> </xs:element></pre>

element ConsignmentDetails


diagram	
children	freightType ConsignmentIdentifiers GrossWeight NetWeight
used by	element Consignment
annotation	documentation Details of the consignment being offered on this Sample Order.
source	<pre><xs:element name="ConsignmentDetails"> <xs:annotation> <xs:documentation>Details of the consignment being offered on this Sample Order.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="freightType" minOccurs="0"> <xs:annotation> <xs:documentation>Type of Freight- can be Container, Break Bulk</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Container"/> <xs:enumeration value="Break Bulk"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> <xs:element ref="ConsignmentIdentifiers" minOccurs="0" maxOccurs="unbounded"/> <xs:element ref="GrossWeight" minOccurs="0"/> <xs:element ref="NetWeight" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element **ConsignmentDetails/freightType**

diagram					
type	restriction of xs:string				
facets	<table border="0"> <tr> <td>enumeration</td> <td>Container</td> </tr> <tr> <td>enumeration</td> <td>Break Bulk</td> </tr> </table>	enumeration	Container	enumeration	Break Bulk
enumeration	Container				
enumeration	Break Bulk				
annotation	documentation Type of Freight- can be Container, Break Bulk				
source	<pre> <xs:element name="freightType" minOccurs="0"> <xs:annotation> <xs:documentation>Type of Freight- can be Container, Break Bulk</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Container"/> <xs:enumeration value="Break Bulk"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>				

element **ConsignmentIdentifiers**

<p>diagram</p>  <p>ConsignmentIdentifiers Details of all the containers and marks used to make the shipment - ISO Standards</p> <ul style="list-style-type: none"> BillOfLadingIdentifier Identification provided on the Bill of Lading Container Identifies the container if the freight type is container seal Container seal number ShipmentMark ICO or other marks used to mark the shipment ContainerUnits Quantity of Coffee in the container WarehouseReceipt Warehouse Receipt No for the stock issued by the Warehouse cargoNo Cargo No issued by the warehouse for various lots/containers, e.g. - C-12345 exchangeldNo Exchange ID No issued by the Exchange / Warehouse after Grading the stock 	
<p>children</p>	<p>BillOfLadingIdentifier Container seal ShipmentMark ContainerUnits WarehouseReceipt cargoNo exchangeldNo</p>
<p>used by</p>	<p>element ConsignmentDetails</p>
<p>annotation</p>	<p>documentation Details of all the containers and marks used to make the shipment - ISO Standards</p>
<p>source</p>	<pre><xs:element name="ConsignmentIdentifiers"> <xs:annotation> <xs:documentation>Details of all the containers and marks used to make the shipment - ISO Standards</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="BillOfLadingIdentifier" minOccurs="0"/> <xs:element ref="Container" minOccurs="0"/> <xs:element ref="seal" minOccurs="0"/> <xs:element ref="ShipmentMark" minOccurs="0"/> <xs:element name="ContainerUnits" minOccurs="0"> <xs:annotation> <xs:documentation>Quantity of Coffee in the container</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>


	<pre> <xs:element name="quantityValue"> <xs:annotation> <xs:documentation>Example - No of bags per container</xs:documentation> </xs:annotation> </xs:element> <xs:element name="quantityUnits" minOccurs="0"> <xs:annotation> <xs:documentation>69 Kg Bags</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="WarehouseReceipt" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Receipt No for the stock issued by the Warehouse</xs:documentation> </xs:annotation> </xs:element> <xs:element name="cargoNo" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Cargo No issued by the warehouse for various lots/ containers, e.g. - C- 12345</xs:documentation> </xs:annotation> </xs:element> <xs:element name="exchangeIdNo" type="xs:string" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Exchange ID No issued by the Exchange / Warehouse after Grading the stock</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element ConsignmentIdentifiers/ContainerUnits


diagram	
children	quantityValue quantityUnits
annotation	documentation Quantity of Coffee in the container
source	<pre> <xs:element name="ContainerUnits" minOccurs="0"> <xs:annotation> <xs:documentation>Quantity of Coffee in the container</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="quantityValue"> <xs:annotation> <xs:documentation>Example - No of bags per container</xs:documentation> </xs:annotation> </xs:element> <xs:element name="quantityUnits" minOccurs="0"> <xs:annotation> <xs:documentation>69 Kg Bags</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

	</xs:element>
--	---------------


element ConsignmentIdentifiers/ContainerUnits/quantityValue

diagram	 <p>Example - No of bags per container</p>
annotation	documentation Example - No of bags per container
source	<pre><xs:element name="quantityValue"> <xs:annotation> <xs:documentation>Example - No of bags per container</xs:documentation> </xs:annotation> </xs:element></pre>


element ConsignmentIdentifiers/ContainerUnits/quantityUnits

diagram	 <p>69 Kg Bags</p>
annotation	documentation 69 Kg Bags
source	<pre><xs:element name="quantityUnits" minOccurs="0"> <xs:annotation> <xs:documentation>69 Kg Bags</xs:documentation> </xs:annotation> </xs:element></pre>

element ConsignmentIdentifiers/WarehouseReceipt


diagram	 <p>Warehouse Receipt No for the stock issued by the Warehouse</p>
type	xs:string
annotation	documentation Warehouse Receipt No for the stock issued by the Warehouse
source	<pre><xs:element name="WarehouseReceipt" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Receipt No for the stock issued by the Warehouse</xs:documentation> </xs:annotation> </xs:element></pre>

element ConsignmentIdentifiers/cargoNo


diagram	 <p>Cargo No issued by the warehouse for various lots/ containers, e.g. - C-12345</p>
type	xs:string
annotation	documentation Cargo No issued by the warehouse for various lots/ containers, e.g. - C-12345

source	<pre><xs:element name="cargoNo" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Cargo No issued by the warehouse for various lots/ containers, e.g. - C-12345</xs:documentation> </xs:annotation> </xs:element></pre>
--------	---

element ConsignmentIdentifiers/exchangeldNo


diagram	
type	xs:string
annotation	documentation Exchange ID No issued by the Exchange / Warehouse after Grading the stock
source	<pre><xs:element name="exchangeldNo" type="xs:string" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Exchange ID No issued by the Exchange / Warehouse after Grading the stock</xs:documentation> </xs:annotation> </xs:element></pre>

element ContactDetails


diagram	
children	personName departmentName telephoneNumber faxNumber e-MailAddress
used by	elements Broker Buyer Parties/DeliverSamplesTo Parties/Sampler InstructionalInformation/SamplingOnAccountOf Seller
annotation	documentation Information pertaining to the contact person in the organisation pertaining to this document, if available.
source	<pre><xs:element name="ContactDetails"> <xs:annotation> <xs:documentation>Information pertaining to the contact person in the organisation pertaining to this document, if available.</xs:documentation> </xs:annotation> </xs:element></pre>

	<pre> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="personName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Full Name of the person to be contacted within the organisation.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="departmentName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Name of the organisational unit or Department that the Contact person works in</xs:documentation> </xs:annotation> </xs:element> <xs:element name="telephoneNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="faxNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Fax (Facsimile) Number. Precise format will depend on the parties concerned and local format for fax numbers.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="e-MailAddress" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Electronic mailing address</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element ContactDetails/personName


diagram	 <p>Full Name of the person to be contacted within the organisation.</p>
type	xs:string
annotation	documentation Full Name of the person to be contacted within the organisation.
source	<pre> <xs:element name="personName" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Full Name of the person to be contacted within the organisation.</xs:documentation> </xs:annotation> </xs:element> </pre>

element ContactDetails/departmentName


diagram	 <p>Name of the organisational unit or Department that the Contact person works in</p>
type	xs:string
annotation	documentation Name of the organisational unit or Department that the Contact person works in
source	<pre> <xs:element name="departmentName" type="xs:string" minOccurs="0"> </pre>

	<pre> <xs:annotation> <xs:documentation>Name of the organisational unit or Department that the Contact person works in</xs:documentation> </xs:annotation> </xs:element> </pre>
--	---


element **ContactDetails/telephoneNumber**

diagram	
type	xs:string
annotation	documentation Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.
source	<pre> <xs:element name="telephoneNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Telephone Number. Precise format will depend on the parties concerned and local format for telephone numbers.</xs:documentation> </xs:annotation> </xs:element> </pre>

element **ContactDetails/faxNumber**

diagram	
type	xs:string
annotation	documentation Fax (Facsimile) Number. Precise format will depend on the parties concerned and local format for fax numbers.
source	<pre> <xs:element name="faxNumber" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Fax (Facsimile) Number. Precise format will depend on the parties concerned and local format for fax numbers.</xs:documentation> </xs:annotation> </xs:element> </pre>

element **ContactDetails/e-MailAddress**

diagram	
type	xs:string
annotation	documentation Electronic mailing address
source	<pre> <xs:element name="e-MailAddress" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Electronic mailing address</xs:documentation> </xs:annotation> </xs:element> </pre>

element Container

diagram	
children	containerIdentification containerType
used by	element ConsignmentIdentifiers
annotation	documentation Identifies the container if the freight type is container
source	<pre><xs:element name="Container"> <xs:annotation> <xs:documentation>Identifies the container if the freight type is container</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="containerIdentification"/> <xs:element ref="containerType" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element containerIdentification

diagram	
type	xs:string
used by	element Container
annotation	documentation Unique Container number
source	<pre><xs:element name="containerIdentification" type="xs:string"> <xs:annotation> <xs:documentation>Unique Container number</xs:documentation> </xs:annotation> </xs:element></pre>

element containerType

diagram	
type	list of xs:string
used by	element Container
annotation	documentation Type of container - 20 or 40 feet
source	<pre><xs:element name="containerType"> <xs:annotation> <xs:documentation>Type of container - 20 or 40 feet</xs:documentation> </xs:annotation> </xs:element></pre>


```


<xs:simpleType>
  <xs:list itemType="xs:string"/>
</xs:simpleType>
</xs:element>

```


element ContractIdentifier

<p>diagram</p>	<p>ContractIdentifier Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</p> <p>documentCreatorIdentifier Identifies the company or system which issued the docr., e.g. Carrier Name for B/L</p> <p>documentNumber Unique identification of the document</p> <p>documentVersion Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.</p> <p>contractExtension Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</p>
<p>children</p>	<p>documentCreatorIdentifier documentNumber documentVersion contractExtension</p>
<p>used by</p>	<p>element GeneralInformation</p>
<p>annotation</p>	<p>documentation Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</p>
<p>source</p>	<pre> <xs:element name="ContractIdentifier"> <xs:annotation> <xs:documentation>Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="documentCreatorIdentifier"/> <xs:element ref="documentNumber"/> <xs:element ref="documentVersion" minOccurs="0"/> <xs:element name="contractExtension" type="xs:string"> <xs:annotation> <xs:documentation>Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element ContractIdentifier/contractExtension

diagram	 <p>Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</p>
type	xs:string
annotation	documentation Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts
source	<pre><xs:element name="contractExtension" type="xs:string"> <xs:annotation> <xs:documentation>Identifier or code to identify the sub-contract or contract extension or shipment number to which this document pertains, if the contract is fixed in parts</xs:documentation> </xs:annotation> </xs:element></pre>

element contractType

diagram	 <p>IncoTerms for the Contract. e.g. - FOB, CNF, etc</p>
type	restriction of xs:string
used by	element GeneralInformation
facets	<ul style="list-style-type: none"> maxLength 14 enumeration C+F enumeration CIF enumeration Delivered enumeration FOB enumeration FOR enumeration FOT enumeration Ex-Dock enumeration Ex-Warehouse enumeration Spot
annotation	documentation IncoTerms for the Contract. e.g. - FOB, CNF, etc
source	<pre><xs:element name="contractType"> <xs:annotation> <xs:documentation>IncoTerms for the Contract. e.g. - FOB, CNF, etc</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="14"/> <xs:enumeration value="C+F"/> <xs:enumeration value="CIF"/> <xs:enumeration value="Delivered"/> <xs:enumeration value="FOB"/> <xs:enumeration value="FOR"/> <xs:enumeration value="FOT"/> <xs:enumeration value="Ex-Dock"/> <xs:enumeration value="Ex-Warehouse"/> <xs:enumeration value="Spot"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element CountryOfDestination

diagram	
children	locationCode countryName
used by	element RoutingSummary
annotation	documentation Country of the Delivery Location
source	<pre><xs:element name="CountryOfDestination"> <xs:annotation> <xs:documentation>Country of the Delivery Location</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element name="countryName"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element CountryOfDestination/countryName


diagram	
source	<pre><xs:element name="countryName"/></pre>

element CountryOfOrigin


diagram	
children	locationCode locationName
used by	element ProductQuality
annotation	documentation Country of the original port from which the shipment takes place.
source	<pre><xs:element name="CountryOfOrigin"> <xs:annotation> <xs:documentation>Country of the original port from which the shipment takes place.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre></xs:complexType> </xs:element></pre>
--	--


element **cropYear**

diagram	 <p>Year in which the crop was harvested. Can span a two year period. Content would be a 4 digit year or in the case it spans two years then represented as YYYY/YYYY.</p>
type	xs:string
used by	element ProductQuality
annotation	documentation Year in which the crop was harvested. Can span a two year period. Content would be a 4 digit year or in the case it spans two years then represented as YYYY/YYYY.
source	<pre><xs:element name="cropYear" type="xs:string"> <xs:annotation> <xs:documentation>Year in which the crop was harvested. Can span a two year period. Content would be a 4 digit year or in the case it spans two years then represented as YYYY/YYYY.</xs:documentation> </xs:annotation> </xs:element></pre>

element **documentCreatorIdentifier**


diagram	 <p>Identifies the company or system which issued the docr., e.g. Carrier Name for B/L</p>
type	xs:string
used by	elements BillOfLadingIdentifier ContractIdentifier
annotation	documentation Identifies the company or system which issued the docr., e.g. Carrier Name for B/L
source	<pre><xs:element name="documentCreatorIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Identifies the company or system which issued the docr., e.g. Carrier Name for B/L</xs:documentation> </xs:annotation> </xs:element></pre>

element **documentID**


diagram	 <p>Users can enter, if any, their Sample Order No.</p>
type	xs:string
used by	element Header
annotation	documentation Users can enter, if any, their Sample Order No.
source	<pre><xs:element name="documentID" type="xs:string"> <xs:annotation> <xs:documentation>Users can enter, if any, their Sample Order No.</xs:documentation> </xs:annotation> </xs:element></pre>

	</xs:element>
--	---------------


element documentNumber

diagram	 <p>Unique identification of the document</p>
type	restriction of xs:string
used by	elements BillOfLadingIdentifier ContractIdentifier
facets	maxLength 14
annotation	documentation Unique identification of the document
source	<pre><xs:element name="documentNumber"> <xs:annotation> <xs:documentation>Unique identification of the document</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="14"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element documentVersion


diagram	 <p>Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.</p>
type	xs:decimal
used by	elements BillOfLadingIdentifier ContractIdentifier
annotation	documentation Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.
source	<pre><xs:element name="documentVersion" type="xs:decimal"> <xs:annotation> <xs:documentation>Version number of the Contract to which this Sample Order pertains, if the document Issuer maintains version numbers for the contract.</xs:documentation> </xs:annotation> </xs:element></pre>

element e-TransactionNumber


diagram	 <p>Contract Number generated by an E-Commerce service such as EXIMWARE's ICM</p>
type	xs:string
used by	element GeneralInformation

annotation	documentation Contract Number generated by an E-Commerce service such as EXIMWARE's ICM
source	<pre><xs:element name="e-TransactionNumber" type="xs:string"> <xs:annotation> <xs:documentation>Contract Number generated by an E-Commerce service such as EXIMWARE's ICM</xs:documentation> </xs:annotation> </xs:element></pre>


element **endDate**

diagram	
type	xs:date
used by	element MoveOrDeliverPeriod
annotation	documentation End date of the period
source	<pre><xs:element name="endDate" type="xs:date"> <xs:annotation> <xs:documentation>End date of the period</xs:documentation> </xs:annotation> </xs:element></pre>

element **estimatedDateOfArrivalAtDestination**

diagram	
type	xs:date
used by	element RoutingSummary
annotation	documentation Estimated Date of Arrival of shipment at destination.
source	<pre><xs:element name="estimatedDateOfArrivalAtDestination" type="xs:date"> <xs:annotation> <xs:documentation>Estimated Date of Arrival of shipment at destination.</xs:documentation> </xs:annotation> </xs:element></pre>

element **estimatedDateOfAvailability**

diagram	
type	xs:date
used by	element RoutingSummary
annotation	documentation Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.
source	<pre><xs:element name="estimatedDateOfAvailability" type="xs:date"> <xs:annotation> <xs:documentation>Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.</xs:documentation> </xs:annotation> </xs:element></pre>


</xs:annotation>
</xs:element>

element **GeneralInformation**


<p>diagram</p>	<p>GeneralInformation References and other general information pertaining to the contract and this document.</p> <p>dateOfIssue Date of Issue of Sample Order in ISO format, i.e. - YYYY-MM-DD</p> <p>ContractIdentifier + Common Contract Identifier for the Contract. If the contract is issued by a 3rd party system, such as a B2B system, the system is identified in the documentCreatorIdentifier child element</p> <p>contractType IncoTerms for the Contract. e.g. - FOB, CNF, etc</p> <p>e-TransactionNumber Contract Number generated by an E-Commerce service such as EXIMWARE's ICM</p> <p>buyerContractIdentifier Buyer's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p> <p>sellerContractIdentifier Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p> <p>brokerContractIdentifier Broker's Contract Reference if a broker was involved with the issuance of the Contract.</p>
<p>children</p>	<p>dateOfIssue ContractIdentifier contractType e-TransactionNumber buyerContractIdentifier sellerContractIdentifier brokerContractIdentifier</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation References and other general information pertaining to the contract and this document.</p>
<p>source</p>	<pre><xs:element name="GeneralInformation"> <xs:annotation> <xs:documentation>References and other general information pertaining to the contract and this document.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="dateOfIssue" type="xs:date"> <xs:annotation> <xs:documentation>Date of Issue of Sample Order in ISO format, i.e. - YYYY-MM-DD</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> </xs:annotation> </xs:element> <xs:element ref="ContractIdentifier"/> <xs:element ref="contractType" minOccurs="0"/> <xs:element ref="e-TransactionNumber" minOccurs="0"/> <xs:element ref="buyerContractIdentifier" minOccurs="0"/> <xs:element ref="sellerContractIdentifier" minOccurs="0"/> <xs:element ref="brokerContractIdentifier" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--


element **GeneralInformation/dateOfIssue**

diagram	
type	xs:date
annotation	documentation Date of Issue of Sample Order in ISO format, i.e. - YYYY-MM-DD
source	<pre> <xs:element name="dateOfIssue" type="xs:date"> <xs:annotation> <xs:documentation>Date of Issue of Sample Order in ISO format, i.e. - YYYY-MM-DD</xs:documentation> </xs:annotation> </xs:element> </pre>


element **GrossWeight**

diagram	
children	value weightUnitCode
used by	element ConsignmentDetails
annotation	documentation Gross Weight of the Shipment/Consignment as indicated in the Shipping Documents
source	<pre> <xs:element name="GrossWeight"> <xs:annotation> <xs:documentation>Gross Weight of the Shipment/Consignment as indicated in the Shipping Documents</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="value"/> <xs:element ref="weightUnitCode"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element Header

diagram	
children	documentID status
used by	element SampleOrder
source	<pre> <xs:element name="Header"> <xs:complexType> <xs:sequence> <xs:element ref="documentID" minOccurs="0"/> <xs:element ref="status"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element icoMark

diagram	
type	xs:string
used by	element ShipmentMark
annotation	documentation Universal standardized ICO mark for the coffee if available.
source	<pre> <xs:element name="icoMark" type="xs:string"> <xs:annotation> <xs:documentation>Universal standardized ICO mark for the coffee if available.</xs:documentation> </xs:annotation> </xs:element> </pre>

element InstructionalInformation

<p>diagram</p>	
<p>children</p>	<p>MoveOrDeliverPeriod responsibilityOfWeighing WeighingMethod SamplingOnAccountOf</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation Instructional information pertaining to this document</p>
<p>source</p>	<pre> <xs:element name="InstructionalInformation"> <xs:annotation> <xs:documentation>Instructional information pertaining to this document</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="MoveOrDeliverPeriod" minOccurs="0"/> <xs:element ref="responsibilityOfWeighing" minOccurs="0"/> <xs:element ref="WeighingMethod" minOccurs="0"/> <xs:element name="SamplingOnAccountOf"> <xs:annotation> <xs:documentation>Who Pays for the Sampling - Kraft</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element InstructionalInformation/SamplingOnAccountOf

diagram	<p>SamplingOnAccountOf Who Pays for the Sampling - Kraft</p> <ul style="list-style-type: none"> organizationName Full Legal name of the organization OrganizationIdentification Unique reference to the organisation. AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines. ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.
children	organizationName OrganizationIdentification AddressInformation ContactDetails
annotation	documentation Who Pays for the Sampling - Kraft
source	<pre><xs:element name="SamplingOnAccountOf"> <xs:annotation> <xs:documentation>Who Pays for the Sampling - Kraft</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element line

diagram	<p>line Line of text</p>
type	xs:string
used by	elements AddressInformation/FormattedAddress AddressInformation/NormalisedAddress/StreetAddress
annotation	documentation Line of text
source	<pre><xs:element name="line" type="xs:string"> <xs:annotation></pre>

	<pre><xs:documentation>Line of text</xs:documentation> </xs:annotation> </xs:element></pre>
--	---

element locationCode

diagram	
type	xs:string
used by	elements CountryOfDestination CountryOfOrigin PlaceOfDischarge PlaceOfLoading RoutingSummary/PlaceOfOrigin Consignment/SamplingLocation
annotation	documentation Harmonized Location Code for the location
source	<pre><xs:element name="locationCode" type="xs:string"> <xs:annotation> <xs:documentation>Harmonized Location Code for the location</xs:documentation> </xs:annotation> </xs:element></pre>

element locationName


diagram	
type	xs:string
used by	elements CountryOfOrigin LocationOfStock PlaceOfDischarge PlaceOfLoading RoutingSummary/PlaceOfOrigin
annotation	documentation Descriptive name associated with the location, e.g. - Continental Warehouse, New York
source	<pre><xs:element name="locationName" type="xs:string"> <xs:annotation> <xs:documentation>Descriptive name associated with the location, e.g. - Continental Warehouse, New York</xs:documentation> </xs:annotation> </xs:element></pre>

element LocationOfStock


diagram	
children	locationName storeNo
used by	element RoutingSummary
annotation	documentation Location of Coffee where the coffee is lying

source	<pre> <xs:element name="LocationOfStock"> <xs:annotation> <xs:documentation>Location of Coffee where the coffee is lying</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationName"/> <xs:element name="storeNo" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Store #</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--------	--


element LocationOfStock/storeNo

diagram	
annotation	documentation Warehouse Store #
source	<pre> <xs:element name="storeNo" minOccurs="0"> <xs:annotation> <xs:documentation>Warehouse Store #</xs:documentation> </xs:annotation> </xs:element> </pre>


element locomotiveNumber

diagram	
type	xs:string
used by	element RailTransportIdentification
annotation	documentation Unique identification of the locomotive
source	<pre> <xs:element name="locomotiveNumber" type="xs:string"> <xs:annotation> <xs:documentation>Unique identification of the locomotive</xs:documentation> </xs:annotation> </xs:element> </pre>

element MeansOfTransport

diagram	
children	SeaTransportIdentification RoadTransportIdentification RailTransportIdentification
used by	element RoutingSummary
annotation	documentation Identification information pertaining to the means of transport.
source	<pre> <xs:element name="MeansOfTransport"> <xs:annotation> <xs:documentation>Identification information pertaining to the means of transport. </xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element ref="SeaTransportIdentification"/> <xs:element ref="RoadTransportIdentification"/> <xs:element ref="RailTransportIdentification"/> </xs:choice> </xs:complexType> </xs:element> </pre>

element MoveOrDeliverPeriod

diagram	
children	startDate endDate positionOfSale
used by	element InstructionalInformation
annotation	documentation Period on the contract, which can be Shipment, Arrival, etc as specified in PositionOfSale
source	<pre> <xs:element name="MoveOrDeliverPeriod"> <xs:annotation> <xs:documentation>Period on the contract, which can be Shipment, Arrival, etc as specified in PositionOfSale</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> </pre>

	<pre> <xs:element ref="startDate"/> <xs:element ref="endDate"/> <xs:element ref="positionOfSale"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element **NetWeight**

diagram	<p>Net weight of the Shipment/Consignment as indicated in the Shipping Documents</p>
children	value weightUnitCode
used by	element ConsignmentDetails
annotation	documentation Net weight of the Shipment/Consignment as indicated in the Shipping Documents
source	<pre> <xs:element name="NetWeight"> <xs:annotation> <xs:documentation>Net weight of the Shipment/Consignment as indicated in the Shipping Documents</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="value"/> <xs:element ref="weightUnitCode"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **numberOfBags**


diagram	<p>No of bags per marks</p>
type	xs:integer
used by	element ShipmentMark
annotation	documentation No of bags per marks
source	<pre> <xs:element name="numberOfBags" type="xs:integer"> <xs:annotation> <xs:documentation>No of bags per marks</xs:documentation> </xs:annotation> </xs:element> </pre>

element **OrganizationIdentification**


diagram	<p>Unique reference to the organisation.</p>
type	xs:string

used by	elements Broker Buyer Parties/DeliverSamplesTo Parties/Sampler InstructionalInformation/SamplingOnAccountOf Seller
annotation	documentation Unique reference to the organisation.
source	<pre><xs:element name="OrganizationIdentification" type="xs:string"> <xs:annotation> <xs:documentation>Unique reference to the organisation.</xs:documentation> </xs:annotation> </xs:element></pre>

element **organizationName**

diagram	
type	restriction of xs:string
used by	elements Broker Buyer Parties/DeliverSamplesTo Parties/Sampler InstructionalInformation/SamplingOnAccountOf Seller
facets	maxLength 50
annotation	documentation Full Legal name of the organization
source	<pre><xs:element name="organizationName"> <xs:annotation> <xs:documentation>Full Legal name of the organization</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="50"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **packagingType**

diagram	
type	restriction of xs:string
used by	element QuantityAvailableForSampling
facets	enumeration BGS enumeration CT enumeration BLK enumeration SS enumeration BTD
annotation	documentation Bags, Bulk, etc.
source	<pre><xs:element name="packagingType"> <xs:annotation> <xs:documentation>Bags, Bulk, etc.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="BGS"/> <xs:enumeration value="CT"/> <xs:enumeration value="BLK"/> <xs:enumeration value="SS"/> <xs:enumeration value="BTD"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

</xs:element>

element Parties

diagram	<p>Parties Parties involved in the business process or transaction pertaining to this document.</p> <p>Seller Name, address and identification of the Seller on the contract.</p> <p>Buyer Name, address and identification of the buyer on this contract.</p> <p>Broker Name, address and identification of the organisation which is involved as a broker for this contract, if applicable.</p> <p>Sampler Name and address of the organization responsible and authorized to do the sampling.</p> <p>DeliverSamplesTo Name and address of the organization to which the samples are to be sent by the Sampler</p>
children	Seller Buyer Broker Sampler DeliverSamplesTo
used by	element Body
annotation	documentation Parties involved in the business process or transaction pertaining to this document.
source	<pre><xs:element name="Parties"> <xs:annotation> <xs:documentation>Parties involved in the business process or transaction pertaining to this document.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="Seller"/> <xs:element ref="Buyer"/> <xs:element ref="Broker" minOccurs="0"/> <xs:element name="Sampler"> <xs:annotation> <xs:documentation>Name and address of the organization responsible and authorized to do the sampling.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="DeliverSamplesTo"></pre>

	<pre> <xs:annotation> <xs:documentation>Name and address of the organization to which the samples are to be sent by the Sampler</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element Parties/Sampler

diagram	<p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique reference to the organisation.</p> <p>AddressInformation + Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails + Information pertaining to the contact person in the organisation pertaining to this document, if available.</p> <p>Sampler Name and address of the organization responsible and authorized to do the sampling.</p>
children	organizationName OrganizationIdentification AddressInformation ContactDetails
annotation	documentation Name and address of the organization responsible and authorized to do the sampling.
source	<pre> <xs:element name="Sampler"> <xs:annotation> <xs:documentation>Name and address of the organization responsible and authorized to do the sampling.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>

</xs:element>

element Parties/DeliverSamplesTo

diagram	<p>DeliverSamplesTo Name and address of the organization to which the samples are to be sent by the Sampler</p> <p>organizationName Full Legal name of the organization</p> <p>OrganizationIdentification Unique reference to the organisation.</p> <p>AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines.</p> <p>ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.</p>
children	organizationName OrganizationIdentification AddressInformation ContactDetails
annotation	documentation Name and address of the organization to which the samples are to be sent by the Sampler
source	<pre><xs:element name="DeliverSamplesTo"> <xs:annotation> <xs:documentation>Name and address of the organization to which the samples are to be sent by the Sampler</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>


element PlaceOfDischarge

diagram	
children	locationCode locationName
used by	element RoutingSummary
annotation	documentation Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road.
source	<pre> <xs:element name="PlaceOfDischarge"> <xs:annotation> <xs:documentation>Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element> </pre>


element PlaceOfLoading

diagram	
children	locationCode locationName
used by	element RoutingSummary
annotation	documentation Port of Loading for Sea Transportation or Place where coffee is loaded for Rail/Road
source	<pre> <xs:element name="PlaceOfLoading"> <xs:annotation> <xs:documentation>Port of Loading for Sea Transportation or Place where coffee is loaded for Rail/Road</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode" minOccurs="0"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element> </pre>


element positionOfSale

diagram	 <p>Whether it is Shipment, Delivery or afloat basis</p>
type	restriction of xs:string
used by	element MoveOrDeliverPeriod
facets	<ul style="list-style-type: none"> enumeration Afloat enumeration Arrival enumeration Arrival or Delivery at Seller's option enumeration Crossing enumeration DAF enumeration Delivery enumeration Ship enumeration Spot
annotation	documentation Whether it is Shipment, Delivery or afloat basis
source	<pre> <xs:element name="positionOfSale"> <xs:annotation> <xs:documentation>Whether it is Shipment, Delivery or afloat basis</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Afloat"/> <xs:enumeration value="Arrival"/> <xs:enumeration value="Arrival or Delivery at Seller's option"/> <xs:enumeration value="Crossing"/> <xs:enumeration value="DAF"/> <xs:enumeration value="Delivery"/> <xs:enumeration value="Ship"/> <xs:enumeration value="Spot"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element product

diagram	 <p>General Product Description. Harmonized code that identifies the commodity being shipped</p>
type	xs:string
used by	element ProductQuality
annotation	documentation General Product Description. Harmonized code that identifies the commodity being shipped
source	<pre> <xs:element name="product" type="xs:string"> <xs:annotation> <xs:documentation>General Product Description. Harmonized code that identifies the commodity being shipped</xs:documentation> </xs:annotation> </xs:element> </pre>

element ProductDescription

<p>diagram</p>	 <p>ProductDescription Technical Reference to a description for the coffee, e.g - Santos 2/3</p> <p>ProductDescriptionCode + Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</p> <p>productDescriptionText Technical description for the Coffee, e.g. Santos 2/3</p>
<p>children</p>	<p>ProductDescriptionCode productDescriptionText</p>
<p>used by</p>	<p>element ProductQuality</p>
<p>annotation</p>	<p>documentation Technical Reference to a description for the coffee, e.g - Santos 2/3</p>
<p>source</p>	<pre> <xs:element name="ProductDescription"> <xs:annotation> <xs:documentation>Technical Reference to a description for the coffee, e.g - Santos 2/3 </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="ProductDescriptionCode" minOccurs="0"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element> <xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="productDescriptionText"> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre> </pre>


element ProductDescription/ProductDescriptionCode

diagram	<p>ProductDescriptionCode Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</p> <p>codeReferenceType Reference to the System or Organization or Standard which defines the code value, e.g. TLM</p> <p>codeValue Unique code reference to the technical description of the Coffee</p>
children	codeReferenceType codeValue
annotation	documentation Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.
source	<pre><xs:element name="ProductDescriptionCode" minOccurs="0"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the coffee like material codes. Can have multiple occurrences to list the buyer's code, seller's code, TLM code, etc.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element> <xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>


element ProductDescription/ProductDescriptionCode/codeReferenceType

diagram	<p>codeReferenceType Reference to the System or Organization or Standard which defines the code value, e.g. TLM</p>
annotation	documentation Reference to the System or Organization or Standard which defines the code value, e.g. TLM
source	<pre><xs:element name="codeReferenceType"> <xs:annotation> <xs:documentation>Reference to the System or Organization or Standard which defines the code value, e.g. TLM</xs:documentation> </xs:annotation> </xs:element></pre>


element **ProductDescription/ProductDescriptionCode/codeValue**

diagram	
type	xs:string
annotation	documentation Unique code reference to the technical description of the Coffee
source	<pre><xs:element name="codeValue" type="xs:string"> <xs:annotation> <xs:documentation>Unique code reference to the technical description of the Coffee</xs:documentation> </xs:annotation> </xs:element></pre>

element **ProductDescription/productDescriptionText**

diagram	
annotation	documentation Technical description for the Coffee, e.g. Santos 2/3
source	<pre><xs:element name="productDescriptionText"> <xs:annotation> <xs:documentation>Technical description for the Coffee, e.g. Santos 2/3</xs:documentation> </xs:annotation> </xs:element></pre>

element **ProductQuality**

diagram	 <p>The diagram illustrates the structure of the ProductQuality element. It is a group element (represented by a box with a small square on the right) that contains four child elements: product, CountryOfOrigin, cropYear, and ProductDescription. The product element is a simple element (box with a small square on the left). CountryOfOrigin and cropYear are complex elements (boxes with a dashed border and a small square on the right). ProductDescription is a simple element (box with a small square on the left). A central box with three dots and a small square on the right indicates the grouping of these elements.</p>
children	product CountryOfOrigin cropYear ProductDescription

used by	element Consignment
annotation	documentation Group element collecting the different elements that are used to uniquely describe the Coffee and quality
source	<pre> <xs:element name="ProductQuality"> <xs:annotation> <xs:documentation>Group element collecting the different elements that are used to uniquely describe the Coffee and quality</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="product"/> <xs:element ref="CountryOfOrigin" minOccurs="0"/> <xs:element ref="cropYear" minOccurs="0"/> <xs:element ref="ProductDescription"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element [QuantityAvailableForSampling](#)


diagram	<p>QuantityAvailableForSampling Quantity being made available for sampling expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.</p> <ul style="list-style-type: none"> quantityValue Numeric value including decimal places of the quantity. Example - 1000 quantityUnits Units associated with the quantity. E.g.69 Kg Bags packagingType Bags, Bulk, etc.
children	quantityValue quantityUnits packagingType
used by	element Consignment
annotation	documentation Quantity being made available for sampling expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.
source	<pre> <xs:element name="QuantityAvailableForSampling"> <xs:annotation> <xs:documentation>Quantity being made available for sampling expressed as a weight or as a number of bags of certain weight, typically in the same units as the unit used to specify the quantity in the contract.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="quantityValue"/> <xs:element ref="quantityUnits"/> <xs:element ref="packagingType"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element [quantityUnits](#)


diagram	<p>quantityUnits Units associated with the quantity. E.g.69 Kg Bags</p>
type	restriction of xs:string

used by	element QuantityAvailableForSampling
facets	enumeration 60KB enumeration 69KB enumeration 70KB enumeration MT enumeration LBS enumeration KGS enumeration 46KB
annotation	documentation Units associated with the quantity. E.g.69 Kg Bags
source	<pre> <xs:element name="quantityUnits"> <xs:annotation> <xs:documentation>Units associated with the quantity. E.g.69 Kg Bags</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="60KB"/> <xs:enumeration value="69KB"/> <xs:enumeration value="70KB"/> <xs:enumeration value="MT"/> <xs:enumeration value="LBS"/> <xs:enumeration value="KGS"/> <xs:enumeration value="46KB"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element quantityValue

diagram	 <p>Numeric value including decimal places of the quantity. Example - 1000</p>
type	xs:double
used by	element QuantityAvailableForSampling
annotation	documentation Numeric value including decimal places of the quantity. Example - 1000
source	<pre> <xs:element name="quantityValue" type="xs:double"> <xs:annotation> <xs:documentation>Numeric value including decimal places of the quantity. Example - 1000</xs:documentation> </xs:annotation> </xs:element> </pre>

element railCarNumber

diagram	 <p>Unique identification of a rail car on which cargo is being shipped</p>
type	xs:string
used by	element RailTransportIdentification
annotation	documentation Unique identification of a rail car on which cargo is being shipped
source	<pre> <xs:element name="railCarNumber" type="xs:string"> <xs:annotation> <xs:documentation>Unique identification of a rail car on which cargo is being shipped</xs:documentation> </xs:annotation> </pre>

	</xs:element>
--	---------------

element RailTransportIdentification

diagram	
children	carrier locomotiveNumber railCarNumber
used by	element MeansOfTransport
annotation	documentation Identification of the rail car if the shipment is transported by rail
source	<pre><xs:element name="RailTransportIdentification"> <xs:annotation> <xs:documentation>Identification of the rail car if the shipment is transported by rail</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="carrier"/> <xs:element ref="locomotiveNumber"/> <xs:element ref="railCarNumber"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element RailTransportIdentification/carrier


diagram	
source	<xs:element name="carrier"/>

element responsibilityOfWeighing

diagram	
type	restriction of xs:string
used by	element InstructionalInformation
facets	enumeration Buyer enumeration Seller
annotation	documentation Whether Buyer or Seller is responsible for weighing
source	<pre><xs:element name="responsibilityOfWeighing"> <xs:annotation> <xs:documentation>Whether Buyer or Seller is responsible for weighing</xs:documentation> </xs:annotation> <xs:simpleType></pre>

	<pre> <xs:restriction base="xs:string"> <xs:enumeration value="Buyer"/> <xs:enumeration value="Seller"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	--


element **RoadTransportIdentification**

diagram	 <p>The diagram shows a box labeled 'RoadTransportIdentification' connected to a central circle with three dots. From this circle, two lines branch out to boxes labeled 'carrier' and 'licensePlateNumber'.</p> <p>Identification of the truck or other vehicle, if this shipment is transported overland via road.</p>
children	carrier licensePlateNumber
used by	element MeansOfTransport
annotation	documentation Identification of the truck or other vehicle, if this shipment is transported overland via road.
source	<pre> <xs:element name="RoadTransportIdentification"> <xs:annotation> <xs:documentation>Identification of the truck or other vehicle, if this shipment is transported overland via road.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="carrier"/> <xs:element name="licensePlateNumber"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **RoadTransportIdentification/carrier**

diagram	 <p>A box labeled 'carrier'.</p>
source	<pre><xs:element name="carrier"/></pre>

element **RoadTransportIdentification/licensePlateNumber**

diagram	 <p>A box labeled 'licensePlateNumber'.</p>
source	<pre><xs:element name="licensePlateNumber"/></pre>

element **RoutingSummary**

<p>diagram</p>	<p>RoutingSummary Details of the means of transportation, and associated references, describing how this shipment is transported</p> <ul style="list-style-type: none"> MeansOfTransport Identification information pertaining to the means of transport. PlaceOfOrigin Point of origin of the cargo, e.g. - inland Container terminal PlaceOfLoading Port of Loading for Sea Transportation or Place where coffee is loaded for Rail/Road BillOfLadingIdentifier Identification provided on the Bill of Lading billOfLadingDate Date when the Bill of Lading was issued. PlaceOfDischarge Port of Discharge or Port of Destination for Sea Transportation, or, Place where coffee is discharged for Rail/Road. LocationOfStock Location of Coffee where the coffee is lying CountryOfDestination Country of the Delivery Location estimatedDateOfArrivalAtDestina... Estimated Date of Arrival of shipment at destination. estimatedDateOfAvailability Estimated Date of Availability of the Coffee free of encumbrances as per contractual terms.
<p>children</p>	<p>MeansOfTransport PlaceOfOrigin PlaceOfLoading BillOfLadingIdentifier billOfLadingDate PlaceOfDischarge LocationOfStock CountryOfDestination estimatedDateOfArrivalAtDestination estimatedDateOfAvailability</p>
<p>used by</p>	<p>element Body</p>
<p>annotation</p>	<p>documentation Details of the means of transportation, and associated references, describing how this shipment is transported</p>
<p>source</p>	<pre><xs:element name="RoutingSummary"> <xs:annotation></pre>

```


<xs:documentation>Details of the means of transportation, and associated references, describing how this shipment is
transported</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element ref="MeansOfTransport" minOccurs="0"/>
<xs:element name="PlaceOfOrigin" minOccurs="0">
<xs:annotation>
<xs:documentation>Point of origin of the cargo, e.g. - inland Container terminal </xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:element ref="locationCode"/>
<xs:element ref="locationName"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element ref="PlaceOfLoading" minOccurs="0"/>
<xs:element ref="BillOfLadingIdentifier" minOccurs="0"/>
<xs:element ref="billOfLadingDate" minOccurs="0"/>
<xs:element ref="PlaceOfDischarge"/>
<xs:element ref="LocationOfStock"/>
<xs:element ref="CountryOfDestination" minOccurs="0"/>
<xs:element ref="estimatedDateOfArrivalAtDestination"/>
<xs:element ref="estimatedDateOfAvailability" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element RoutingSummary/PlaceOfOrigin


diagram	
children	locationCode locationName
annotation	documentation Point of origin of the cargo, e.g. - inland Container terminal
source	<pre> <xs:element name="PlaceOfOrigin" minOccurs="0"> <xs:annotation> <xs:documentation>Point of origin of the cargo, e.g. - inland Container terminal </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="locationCode"/> <xs:element ref="locationName"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element SampleOrder




children	Header Body
source	<pre><xs:element name="SampleOrder"> <xs:complexType> <xs:sequence> <xs:element ref="Header"/> <xs:element ref="Body"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element seal

diagram	 <p>Container seal number</p>
type	xs:string
used by	element ConsignmentIdentifiers
annotation	documentation Container seal number
source	<pre><xs:element name="seal" type="xs:string"> <xs:annotation> <xs:documentation>Container seal number</xs:documentation> </xs:annotation> </xs:element></pre>

element SeaTransportIdentification

diagram	
children	Voyage
used by	element MeansOfTransport
annotation	documentation Identification of the vessel and voyage if the shipment is made via sea/ocean transport.
source	<pre><xs:element name="SeaTransportIdentification"> <xs:annotation> <xs:documentation>Identification of the vessel and voyage if the shipment is made via sea/ocean transport.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="Voyage"> <xs:annotation> <xs:documentation>Details of the Vessel and voyage. </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="vesselName"/> <xs:element name="carrier" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Carrier Name. e.g. - APL </xs:documentation> </xs:annotation> </xs:element> <xs:element ref="voyageNumber" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element SeaTransportIdentification/Voyage

diagram	
children	vesselName carrier voyageNumber
annotation	documentation Details of the Vessel and voyage.
source	<pre> <xs:element name="Voyage"> <xs:annotation> <xs:documentation>Details of the Vessel and voyage. </xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="vesselName"/> <xs:element name="carrier" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Carrier Name. e.g. - APL </xs:documentation> </xs:annotation> </xs:element> <xs:element ref="voyageNumber" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element SeaTransportIdentification/Voyage/carrier

diagram	
type	xs:string
annotation	documentation Carrier Name. e.g. - APL
source	<pre> <xs:element name="carrier" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation>Carrier Name. e.g. - APL </xs:documentation> </xs:annotation> </xs:element> </pre>

element Seller

diagram	<p>Seller Name, address and identification of the Seller on the contract.</p> <ul style="list-style-type: none"> organizationName Full Legal name of the organization OrganizationIdentification Unique reference to the organisation. AddressInformation Address of a person or organisation. This may be the postal address of a building or address of a department within a building. Where structured address elements can be provided these should be filled in the designated elements for ease of processing by the receiver of this document. Alternatively, address may be provided as free form text formatted into multiple lines. ContactDetails Information pertaining to the contact person in the organisation pertaining to this document, if available.
children	organizationName OrganizationIdentification AddressInformation ContactDetails
used by	element Parties
annotation	documentation Name, address and identification of the Seller on the contract.
source	<pre> <xs:element name="Seller"> <xs:annotation> <xs:documentation>Name, address and identification of the Seller on the contract.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="organizationName"/> <xs:element ref="OrganizationIdentification" minOccurs="0"/> <xs:element ref="AddressInformation" minOccurs="0"/> <xs:element ref="ContactDetails" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

element sellerContractIdentifier

diagram	<p>sellerContractIdentifier Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</p>
type	xs:string
used by	element GeneralInformation

annotation	documentation Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System
source	<pre><xs:element name="sellerContractIdentifier" type="xs:string"> <xs:annotation> <xs:documentation>Seller's Contract Reference Number. Alphanumeric Contract Number issued by the Company or System</xs:documentation> </xs:annotation> </xs:element></pre>


element **ShipmentMark**

diagram	
children	icoMark additionalMark numberOfBags
used by	element ConsignmentsIdentifiers
annotation	documentation ICO or other marks used to mark the shipment
source	<pre><xs:element name="ShipmentMark"> <xs:annotation> <xs:documentation>ICO or other marks used to mark the shipment</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="icoMark" minOccurs="0"/> <xs:element ref="additionalMark" minOccurs="0"/> <xs:element ref="numberOfBags" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>


element **startDate**

diagram	
type	xs:date
used by	element MoveOrDeliverPeriod
annotation	documentation start date of the period
source	<pre><xs:element name="startDate" type="xs:date"> <xs:annotation> <xs:documentation>start date of the period</xs:documentation> </xs:annotation> </xs:element></pre>


element status

diagram	 <p>Status of this document. Possible values are Draft, Final or Amended. Amended is to be used if this document is an amended version of an earlier Final document.</p>
type	list of xs:string
used by	element Header
annotation	documentation Status of this document. Possible values are Draft, Final or Amended. Amended is to be used if this document is an amended version of an earlier Final document.
source	<pre><xs:element name="status"> <xs:annotation> <xs:documentation>Status of this document. Possible values are Draft, Final or Amended. Amended is to be used if this document is an amended version of an earlier Final document.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:list itemType="xs:string"/> </xs:simpleType> </xs:element></pre>


element value

diagram	 <p>numeric value</p>
type	xs:decimal
used by	elements GrossWeight NetWeight
annotation	documentation numeric value
source	<pre><xs:element name="value" type="xs:decimal"> <xs:annotation> <xs:documentation>numeric value</xs:documentation> </xs:annotation> </xs:element></pre>

element vesselName

diagram	 <p>Name of the ship of vessel e.g. - Maserk Integrity</p>
type	xs:string
used by	element SeaTransportIdentification/Voyage
annotation	documentation Name of the ship of vessel e.g. - Maserk Integrity
source	<pre><xs:element name="vesselName" type="xs:string"> <xs:annotation> <xs:documentation>Name of the ship of vessel e.g. - Maserk Integrity</xs:documentation> </xs:annotation> </xs:element></pre>

element voyageNumber


diagram	 <p>Unique identifier or reference for the voyage by the specified Vessel, as provided by the Shipping Line</p>
type	xs:string
used by	element SeaTransportIdentification/Voyage
annotation	documentation Unique identifier or reference for the voyage by the specified Vessel, as provided by the Shipping Line
source	<pre><xs:element name="voyageNumber" type="xs:string"> <xs:annotation> <xs:documentation>Unique identifier or reference for the voyage by the specified Vessel, as provided by the Shipping Line</xs:documentation> </xs:annotation> </xs:element></pre>

element WeighingMethod


diagram	 <p>Weighing method agreed upon in the contract. For example, NSW 0.5 (Net Shipped Weights 0.5% franchise). Consists of a code and description.</p>
children	weighingMethodCode weighingMethodDescription
used by	element InstructionalInformation
annotation	documentation Weighing method agreed upon in the contract. For example, NSW 0.5 (Net Shipped Weights 0.5% franchise). Consists of a code and description.
source	<pre><xs:element name="WeighingMethod"> <xs:annotation> <xs:documentation>Weighing method agreed upon in the contract. For example, NSW 0.5 (Net Shipped Weights 0.5% franchise). Consists of a code and description.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="weighingMethodCode" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="NULL"/> <xs:enumeration value="SW 0.5"/> <xs:enumeration value="SW 1"/> <xs:enumeration value="LW"/> <xs:enumeration value="DW"/> <xs:enumeration value="PW"/> <xs:enumeration value="RW"/> <xs:enumeration value="SiW"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="weighingMethodDescription"/> </xs:sequence> </xs:complexType></pre>

	<code></xs:element></code>
--	----------------------------------


element **WeighingMethod/weighingMethodCode**

diagram	
type	restriction of xs:string
facets	<ul style="list-style-type: none"> enumeration NULL enumeration SW 0.5 enumeration SW 1 enumeration LW enumeration DW enumeration PW enumeration RW enumeration SiW
source	<pre> <xs:element name="weighingMethodCode" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="NULL"/> <xs:enumeration value="SW 0.5"/> <xs:enumeration value="SW 1"/> <xs:enumeration value="LW"/> <xs:enumeration value="DW"/> <xs:enumeration value="PW"/> <xs:enumeration value="RW"/> <xs:enumeration value="SiW"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element **WeighingMethod/weighingMethodDescription**

diagram	
source	<code><xs:element name="weighingMethodDescription"/></code>

element **weightUnitCode**

diagram	 Harmonized weight unit code
type	restriction of xs:string
used by	elements GrossWeight NetWeight
facets	<ul style="list-style-type: none"> enumeration MT enumeration LBS enumeration KGS enumeration 46KB enumeration 60KB enumeration 69KB enumeration 70KB enumeration 75KB
annotation	documentation Harmonized weight unit code
source	<pre> <xs:element name="weightUnitCode"> <xs:annotation> <xs:documentation>Harmonized weight unit code</xs:documentation> </xs:annotation> </xs:simpleType> </pre>

```
<xs:restriction base="xs:string">
  <xs:enumeration value="MT"/>
  <xs:enumeration value="LBS"/>
  <xs:enumeration value="KGS"/>
  <xs:enumeration value="46KB"/>
  <xs:enumeration value="60KB"/>
  <xs:enumeration value="69KB"/>
  <xs:enumeration value="70KB"/>
  <xs:enumeration value="75KB"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
```