## Proposal for

## Renaming the Application Specific Identification attribute

To: OASIS KMIP Technical Committee

From: Rene Pawlitzek, IBM Zurich Research GmbH

Date: June 11, 2009

Version: 2

Purpose: Rename the Application Specific Identification attribute because the current name does describe the purpose of this attribute accurately. It can be used for a variety of different purposes and not only for storing the intended use of a managed object. Thus, the attribute would benefit from a more generic name.

Deleted: May 15

Deleted: 1

## Application Specific Information

The Application Specific Information is used to store data which is specific to the application(s) using the object. It consists of two parts: a name space and application specific data. The application name spaces are arbitrary text strings so that new types of application data can be used without requiring the standard to be updated. The Usage Guide provides a list of application name spaces.

Clients can set or modify an instance of this attribute with a particular Application Name Space while omitting Application Data. This results in the server returning a suitable Application Data value provided the server is able to generate Application Data for this particular Application Name Space.

If the server is unable to generate the Application Data an Application Name Space Not Supported error is returned to the client.

Object	Encoding	Required Field
Application Specific Information	Structure	Yes
Application Name Space	Text String	Yes
Application Data	Text String	No, if omitted and if the server can handle the Application Name Space then the server will set Application Data.

**Deleted:** Identification

**Deleted:** Identification

**Deleted:** specify the intended use of a Managed Object.

**Deleted:** the application name space that the object will be used with,

Deleted: an

**Deleted:** identification specific to that application name space.

**Deleted:** identifiers

**Comment:** The text deleted below should be included in the Usage Guide instead.

**Deleted:** Some examples of application name space and identifier

<#>SMIME

'someuser@company.com'¶ <#>SSL, 'some.domain.name'¶ <#>Volume Identification,

'123343434'File Name, 'secret.doc'¶ The following application names spaces are recommended:¶

<#>SMIME¶

<#>SSL¶

<#>IPSEC¶ <#>HTTPS¶

<#>HTTPS

<#>FGF ||
<#>Volume Identification¶

File NameOther values may be used according to server policy. No extension mechanism is defined or needed as any text string is allowable. ¶

Deleted: Identification

Deleted: Identifier

Deleted: Yes

Must always have a value	No
Initially set by	Client or Server only if requested by Client
Modifiable by server	Yes, only if requested by Client.
Modifiable by client	Yes
Deletable by client	Yes
Multiple instances permitted	Yes
When implicitly set	Re-key, Re-certify
Applies to Object Types	All Cryptographic Objects

**Deleted:** No